Safety data sheet according to 1907/2006/EC, Article 31

AKEMI®

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: Marble Silicone
Article number: 402xx, 403xx

 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the

mixture Si

Silicate sealing

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Lechstrasse 28 D 90451 Nürnberg Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de

· Further information obtainable

from:

Laboratory

· 1.4 Emergency telephone

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

Labelling according to Regulation

(EC) No 1272/2008Void⋅ Hazard pictogramsVoid⋅ Signal wordVoid

· Hazard-determining components

of labelling:
Not applicable.

Hazard statements
 Void

· Additional information: Products treated with biocide OIT (CAS 26530-20-1).

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic

reaction.

Safety data sheet available on request.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB:

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

	(Contd. c	of page 1)
 Dangerous components: 		
	Ethyl tris (acetonoximo) silane	1-5%
	♦ STOT RE 2, H373	
Reg.nr.: 01-2119982962-22-0000		
	N_(3-(trimethoxysilyl)propyl)ethylenediamine	<1%
	vPvB	
	Eye Dam. 1, H318	
	Skin Sens. 1, H317	
 Additional information: 	For the wording of the listed hazard phrases refer to section 16	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

No special measures required.

 After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Rinse opened eye for several minutes under running water. Then consult a After eye contact:

doctor.

· After swallowing: Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any immediate

medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

 Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· For safety reasons unsuitable

extinguishing agents:

Water with full jet

· 5.2 Special hazards arising from

the substance or mixture Under certain fire conditions, traces of other toxic gases cannot be excluded,

e.g.:

Carbon monoxide (CO) Nitrogen oxides (NOx)

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



(Contd. of page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

• **6.4 Reference to other sections** No dangerous substances are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

<u>storerooms and receptacles:</u> Store only in the original receptacle.

Prevent any seepage into the ground.

No special requirements.

· Information about storage in one

common storage facility:

Store away from foodstuffs.

· Further information about storage

conditions:

Store in a cool place. Store in dry conditions.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about

<u>design of technical facilities:</u> No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that

require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

· <u>DNELs</u>			
58190-57-1 Ethyl tris (acetonoximo) silane			
Oral	al DNEL (Langzeit-wiederholt) 0.03 mg/kg bw/day (BEV)		
Dermal	DNEL (Langzeit-wiederholt)	0.059 mg/kg bw/day (ARB)	
		0.03 mg/kg bw/day (BEV)	
Inhalative	DNEL (Langzeit-wiederholt)	0.419 mg/m³ Air (ARB)	
		0.103 mg/m³ Air (BEV)	
1760-24-3	1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine		
Oral	DNEL (Langzeit-wiederholt)	2.5 mg/kg bw/day (BEV)	
Dermal	DNEL (Kurzzeit-akut)	5 mg/kg bw/day (ARB)	
	DNEL (Langzeit-wiederholt)	5 mg/kg bw/day (ARB)	
		2.5 mg/kg bw/day (BEV)	
Inhalative	DNEL (Langzeit-wiederholt)	35.5 mg/m³ Air (ARB)	
		8.7 mg/m³ Air (BEV)	

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

(Contd. of page 3)

PNECs

58190-57-1 Ethyl tris (acetonoximo) silane

PNEC (wässrig) 2.4 mg/l (KA)

0.24 mg/l (SW)

PNEC (fest) 205 mg/kg Trockengew (MWS)

2,047 mg/kg Trockengew (SWS)

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

PNEC (wässrig) 25 mg/l (KA)

0.0062 mg/l (MW) 0.062 mg/I (SW) 0.62 mg/I (WAS)

PNEC (fest) 0.0075 mg/kg Trockengew (BO)

> 0.005 mg/kg Trockengew (MWS) 0.05 mg/kg Trockengew (SWS)

· Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

· Respiratory protection: Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A/P2

Preventive skin protection by use of skin-protecting agents is recommended. Protection of hands:

After use of gloves apply skin-cleaning agents and skin cosmetics.



Protective gloves

The glove material has to be impermeable and resistant to the

product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be

given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

· Material of gloves Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked

prior to the application.

· Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

· Body protection: Protective work clothing

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Pasty

Colour: Different according to colouring

- Odour: Specific type

· pH-value at 20 °C: 7

· Change in condition

Melting point/freezing point:

Initial boiling point and boiling range: Undetermined.

· Flash point: Not applicable.

· Ignition temperature: ~430 °C

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· <u>Vapour pressure:</u> Not determined.

- Density: Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous

reactions

No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials:

strong oxidizing agents

· 10.6 Hazardous decomposition

products: Small quantities of formaldehyde may be formed

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

58190-57-1 Ethyl tris (acetonoximo) silane

Oral LD50 2,500 mg/kg (rat)

NOAEL 11.87 mg/kg (rat)

Dermal LD50 2,500 mg/kg (rat)

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

Oral LD50 2,295 mg/kg (rat)

(Contd. on page 6)



(Contd. of page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

NOEL ≥500 mg/kg (rat) (OECD 422)

NOAEL ≥500 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

٠	Αc	luatic	toxicity:	
---	----	--------	-----------	--

58190-57-1 Ethyl tris (acetonoximo) silane

EC50/48h 678.73 mg/l (daphnia magna) (OECD-Prüfrichtlinie 202) **NOEC** 62.34 mg/kg (Selenastrum capricornutum) (OECD-Prüfrichtlinie 201) 315.36 mg/l (Selenastrum capricornutum) (OECD-Prüfrichtlinie 201) EC50/72h 696.76 mg/l (Pimephales promelas) (OECD- Prüfrichtlinie 203) LC50/96h

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

EC50 435 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)

IC50/72h 8.8 mg/l (green alge) (OECD 201)

EC50/48h 81 mg/l (daphnia magna) EC50/16h 67 mg/l (pseudomonas putida) **NOEC** 3.1 mg/kg (green alge) (OECD 201)

≥1,000 mg/kg (Eisenia fetida (Regenwürmer)) (OECD 207)

NOEC/21d >1 mg/l (daphnia magna) EC50/48h 87.4 mg/l (daphnia magna) EC50/72h 5 mg/l (green alge)

LC50/96h 597 mg/l (Danio rerio.)

168 mg/l (pimephales promelas)

12.2 Persistence and

degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB:

1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Can be disposed of with household garbage after solidification following

consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Smaller quantities can be disposed of with household waste.

· European waste catalogue

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS

(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation: Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

SECTION 14: Transport information

· 14.1 UN-Number				
· ADR, ADN, IMDG, IATA	Void			
· 14.2 UN proper shipping name				
· <u>ADR, ADN, IMDG, IATA</u>	Void			
· 14.3 Transport hazard class(es)				
· ADR, ADN, IMDG, IATA				
· <u>Class</u>	Void			
· 14.4 Packing group				
· <u>ADR, IMDG, IATA</u>	Void			
· 14.5 Environmental hazards:				
Marine pollutant:	No			
· 14.6 Special precautions for user	Not applicable.			
· 14.7 Transport in bulk according to Annex II of				
Marpol and the IBC Code	Not applicable.			
· Transport/Additional information:	Not dangerous according to the above specifications.			
· UN "Model Regulation":	"Model Regulation": Void			

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC EU $0.0 \, g/l$

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 05.11.2019 Version number 9 Revision: 05.11.2019

Trade name: Marble Silicone

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Laboratory

Dieter Zimmermann Contact:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de · Abbreviations and acronyms:

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Data compared to the previous

version altered. Adaptation in accordance with REACH directive 1907/2006/EC