mixture

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Everclear 510 1:1, Komponente A**

11475, 11452 A, 11482 · Article number: F940-G08W-N002-WQMC · UFI:

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the

No further relevant information available.

Polyurethane-sealent

Adhesives

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

Lechstrasse 28 D 90451 Nürnberg

Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de

AKEMI®

· Further information obtainable from:

1.4 Emergency telephone

number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91 National Poison Inform. Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 Eye Irrit. 2 H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. Skin Sens. 1

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

· Signal word Warning

· Hazard-determining components of

tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate labelling:

poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-

4-hydroxyphenyl]-1-oxopropoxy]-

bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat methyl 1,2,2,6,6-pentamethyl-4-piperidylsebacate

H319 Causes serious eye irritation. · Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

If medical advice is needed, have product container or label at · Precautionary statements P101

hand.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 1)

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing vapours.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

insing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/

regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· <u>Description:</u> Mixture: consisting of the following components.

	0 0 1	
· Dangerous components:		
CAS: 136210-30-5 ELINCS: 429-270-1 Index number: 607-521-00-8 Reg.nr.: 01-0000017556-64-0000	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Skin Sens. 1, H317 Aquatic Chronic 3, H412	50-100%
CAS: 623-91-6 EINECS: 210-819-7	diethyl fumarate Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	1-5%
CAS: 104810-47-1 ELINCS: 400-830-7 Index number: 607-176-00-3 Reg.nr.: 01-2119396032-43	poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-Aquatic Chronic 2, H411 Skin Sens. 1, H317	1-5%
CAS: 41556-26-7 Reg.nr.: 01-2119491304-40	bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317	<1%
CAS: 82919-37-7 EINECS: 280-060-4	methyl 1,2,2,6,6-pentamethyl-4-piperidylsebacate Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1, H317	<1%
. Additional information:	For the wording of the listed bazard phrases refer to section 16	

· <u>Additional information:</u> For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for

transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)



(Contd. of page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

• 4.2 Most important symptoms and effects, both acute and

delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· <u>Suitable extinguishing agents:</u> CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable

extinguishing agents:

Water with full jet

· 5.2 Special hazards arising from

the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO) Nitrogen oxides (NOx) Hydrogen cyanide (HCN)

5.3 Advice for firefighters

· <u>Protective equipment:</u> Wear self-contained respiratory protective device.

· Additional information Collect contaminated fire fighting water separately. It must not enter the sewage

system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation

• **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

<u>containment and cleaning up:</u> Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles:

No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

· Further information about storage

conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

(Contd. on page 4)



(Contd. of page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

· Storage class:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

7.3 Specific end use(s)

· Additional information about design

of technical facilities:

PNEC (fest)

0.1 mg/kg Trockengew (BO) 0.02 mg/kg Trockengew (MWS) 0.21 mg/kg Trockengew (SWS)

No further data; see item 7.

· Ingredients with limit values that require monitoring at the

DNELs DNEL (Kurzzeit-akut) 1.4 mg/kg bw/day (BEV) 1.2 mg/m³ Air (ARB) 4.8 mg/m³ Air (ARB) 5.25 mg/kg bw/day (BEV) 5.25 mg/kg bw/day (B	workplace	onitoring at the	e product does not contain any relevant quantities of materials with critic
DNEL 1.4 mg/kg bw/day (BEV) 1.4 mg/kg b	workplace		
136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate	· DNELs		
DNEL (Kurzzeit-akut) 1.4 mg/kg bw/day (BEV) 4 mg/kg bw/day (ARB) 1.4 mg/kg bw/day (ARB) 1.4 mg/kg bw/day (BEV) 1.5 mg/kg bw/day (BEV)		0-5 tetraethyl-N.N'-(methyler	nedicyclohexane-4.1-divl)bis-DL-aspartate
DNEL (Langzeit-wiederholt)			·
Dermal DNEL (Kurzzeit-akut) 1.4 mg/kg bw/day (BEV) 1.2 mg/m³ Air (ARB) 4.8 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 1.0 xopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphoxopropoxyl 1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphoxopropoxyl 0.5 mg/kg bw/day (BEV) 0.85 mg/m³ Air (BEV) 0.85 mg/m³ Air (BEV) 0.85 mg/m³ Air (BEV) 0.5 mg/kg bw/day (BEV)		,	
DNEL (Kurzzeit-akut) 1.4 mg/kg bw/day (BEV) 4 mg/kg bw/day (ARB) 1.4 mg/kg bw/day (BEV) 1.5 mg/m³ Air (ARB) 4.8 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 3.8 mg/m³ Air (BEV) 3.8 mg/m³ Air (BEV) 3.5 mg/kg bw/day (BEV) 3.5 mg/kg bw/day (BEV) 3.5 mg/kg bw/day (BEV) 3.5 mg/kg bw/day (BEV) 3.5 mg/m³ Air (BEV) 3.5 mg/m³ Air (BEV) 3.5 mg/kg bw/day (BEV) 3.5 mg/m³ Air (BEV) 3.5 mg/m³ Air (BEV) 3.5 mg/m³ Air (BEV) 3.5 mg/m³ Air (ARB) 3.5 mg/m³ Air (BEV)		(_ag_aa.a,	
DNEL (Langzeit-wiederholt)	Dermal	DNEL (Kurzzeit-akut)	
Inhalative DNEL (Kurzzeit-akut)		` '	
Inhalative DNEL (Kurzzeit-akut)		,	
A.8 mg/m³ Air (BEV) 28 mg/m³ Air (ARB) 4.8 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 28 mg/m³ Air (BEV) 3.6 mg/m³ Air (ARB) 3.6 mg/m³ Air (BEV) 3.6 mg/m³ Air (ARB) 3.6 mg/m³ Air (BEV) 3.6 mg/m³ Air (ARB) 3.6 mg/m³ Air (ARB) 3.6 mg/m³ Air (ARB) 3.6 mg/m³ Air (ARB) 3.6 mg/m³ Air (BEV) 3.6 mg/m³ Air (ARB) 3.6	Inhalative	DNEL (Kurzzeit-akut)	
4.8 mg/m³ Air (BEV) 104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyn 1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphoxopropoxy]- Oral DNEL (Langzeit-wiederholt) 0.025 mg/kg bw/day (BEV) 0.5 mg/kg bw/day (ARB) 0.25 mg/kg bw/day (BEV) 0.5 mg/kg bw/day (BEV) 0.35 mg/m³ Air (ARB) 0.085 mg/m³ Air (BEV) 0.085 mg/m³ Air (BEV) 0.5 mg/kg bw/day (B		, ,	·
104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyn 1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphoxopropoxy]- Oral DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) 0.25 mg/kg bw/day (BEV) 0.5 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 0.35 mg/m³ Air (ARB) 0.085 mg/m³ Air (BEV) 41556-26-7 bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat Oral DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (BEV) 2 mg/kg bw/day (BEV) 1 mg/kg bw/day (BEV) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)		DNEL (Langzeit-wiederholt)	28 mg/m³ Air (ARB)
1-oxopropyl]-w-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphoxopropoxy]- Oral DNEL (Langzeit-wiederholt) 0.025 mg/kg bw/day (BEV) 0.5 mg/kg bw/day (ARB) 0.25 mg/kg bw/day (BEV) 0.5 mg/kg bw/day (BEV) 0.35 mg/m³ Air (ARB) 0.085 mg/m³ Air (BEV) 0.085 mg/m³ Air (BEV) 0.085 mg/m³ Air (BEV) 0.5 mg/kg bw/day (BEV) 0.085 mg/m³ Air (BEV) 0.085 mg/m³ Air (BEV) 0.5 mg/kg bw/day (B			4.8 mg/m³ Air (BEV)
Inhalative DNEL (Langzeit-wiederholt)	Oral		0.025 mg/kg bw/day (BEV)
Dermal DNEL (Langzeit-wiederholt) 0.5 mg/kg bw/day (ARB) 0.25 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 0.35 mg/m³ Air (ARB) 0.085 mg/m³ Air (BEV) 41556-26-7 bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat Oral DNEL (Langzeit-wiederholt) 0.5 mg/kg bw/day (BEV) Dermal DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (ARB) 1 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)			
Inhalative	_	` •	, ,
Inhalative DNEL (Langzeit-wiederholt) 0.35 mg/m³ Air (ARB) 0.085 mg/m³ Air (BEV) 41556-26-7 bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat Oral DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (BEV) DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	Demia	DIVEE (Langzen-wiedernon)	
0.085 mg/m³ Air (BEV) 41556-26-7 bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat Oral DNEL (Langzeit-wiederholt) 0.5 mg/kg bw/day (BEV) Dermal DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (ARB) 1 mg/kg bw/day (BEV) 1 mg/kg bw/day (BEV) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	Inhalative	DNEL (Langzeit-wiederholt)	
Oral DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (BEV) Dermal DNEL (Langzeit-wiederholt) 1 mg/kg bw/day (BEV) Inhalative DNEL (Langzeit-wiederholt) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	mididavo	Bitzz (zangzek wiedernek)	, ,
Dermal DNEL (Langzeit-wiederholt) 2 mg/kg bw/day (ARB) 1 mg/kg bw/day (BEV) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wäsrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	41556-26-	·7 bis(1,2,2,6,6-Pentamethyl	9
Inhalative DNEL (Langzeit-wiederholt) 1 mg/kg bw/day (BEV) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	Oral	DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (BEV)
Inhalative DNEL (Langzeit-wiederholt) 3.53 mg/m³ Air (ARB) 0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	Dermal	DNEL (Langzeit-wiederholt)	2 mg/kg bw/day (ARB)
0.87 mg/m³ Air (BEV) PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)			1 mg/kg bw/day (BEV)
PNECs 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	Inhalative	DNEL (Langzeit-wiederholt)	3.53 mg/m³ Air (ARB)
136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)			0.87 mg/m³ Air (BEV)
PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW)	PNECs		
0.000013 mg/l (MW)			nedicyclohexane-4,1-diyl)bis-DL-aspartate
	PNEC (wä	- · · ·	
0.00013 mg/l (SW)		• , ,	
		0.00013 mg/l (SW)	

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 4)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

PNEC (wässrig) 10 mg/l (KA)

0.00023 mg/l (MW) 0.0023 mg/l (SW) 0.028 mg/l (WAS)

PNEC (fest) 2 mg/kg Trockengew (BO)

0.306 mg/kg Trockengew (MWS) 3.06 mg/kg Trockengew (SWS)

41556-26-7 bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat

PNEC (wässrig) 1 mg/l (KA)

0.00022 mg/l (MW) 0.0022 mg/l (SW) 0.009 mg/l (WAS)

PNEC (fest) 0.21 mg/kg Trockengew (BO)

0.11 mg/kg Trockengew (MWS) 1.05 mg/kg Trockengew (SWS)

Additional information:

The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

measures:

Do not eat or drink while working.

Avoid close or long term contact with the skin.

The usual precautionary measures are to be adhered to when handling

chemicals.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

· Respiratory protection: Short term filter device:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• <u>Protection of hands:</u>
The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g.

directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL

GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).

Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 5)

Due to missing tests no recommendation to the glove material can be

given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but Material of gloves

> also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

Butyl rubber, BR

Butyl rubber, BR

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are

suitable:

· As protection from splashes gloves made of the following materials are suitable:

Not suitable are gloves made of

the following materials:

Leather gloves

Strong material gloves

Goggles recommended during refilling · Eye protection: · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Colour: According to product specification

· Odour: Weak, characteristic · Odour threshold: Not determined.

Not determined. · pH-value:

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

· Flash point: Not applicable. · Flammability (solid, gas): Not applicable.

· Decomposition temperature: Not determined.

Product is not selfigniting. · Auto-ignition temperature:

Product does not present an explosion hazard. Explosive properties:

SADT 50°C

· Explosion limits:

Lower: Not determined. Upper: Not determined.

Not determined. · Vapour pressure:

· Density at 20 °C: 1.1 g/cm³

· Relative density Not determined. · Vapour density Not determined

· Evaporation rate Not determined.

(Contd. on page 7)



(Contd. of page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

· <u>Solubility in / Miscibility with</u> water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.

· Solvent content:

Solids content: 6.4 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition /

<u>conditions to be avoided:</u> No decomposition if used according to specifications.

10.3 Possibility of hazardous

<u>reactions</u> No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available. No further relevant information available.

10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

ATE (Acute Toxicity Estimates)

Oral LD50 65,398 mg/kg (rat)

136210-30)-5 tetrae	thyl-N,N'-	(methyler	redicyclo	hexane-4,1-di	iyl)bis-D	L-aspartate

Oral	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.1.)
Dermal	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.3.)
Inhalativa	1 C50/4h	>4 224 mg/m3 (rat) (OECD Prüfrichtlinie 403)

Inhalative LC50/4h >4,224 mg/m3 (rat) (OECD-Prüfrichtlinie 403)

623-91-6 diethyl fumarate

Oral LD50 1,780 mg/kg (rat)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

41556-26-7 bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat

Oral	LD50	3,230 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

· Primary irritant effect: Do not get in eyes, on skin, or on clothing.

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 7)

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· 12.1 OXICI	
· Aquatic toxi	city:
136210-30-	5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate
EC50	3,110 mg/l (BES) (ISO Vorschrift 8192-1986 E)
IC50/72h	113 mg/l (Scenedesmus subspicatus) (Richtlinie 67/548/EWG, Anhang V, C.3.)
EC50/48h	88.6 mg/l (daphnia magna) (UBA-Verfahrensvorschlag Mai 1984)
ErC50/72h	113 mg/l (Scenedesmus subspicatus)
NOEC	100 mg/kg (Ac) (OECD 208)
	100 mg/kg (As) (OECD 208)
	100 mg/kg (Bn) (OECD 208)
	≥1,000 mg/kg (Eisenia fetida (Regenwürmer)) (OECD-Prüfrichtlinie 207)
NOEC/21d	0.01 mg/l (daphnia magna) (Richtlinie 67/548/EWG, Anhang V, C.20.)
LC50/96h	66 mg/l (Danio rerio.) (OECD 203)
104810-47-	1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-
	1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-
EC50	oxopropoxy]-
EC50/48h	>1,000 mg/l (BES)
LC 0	4 mg/l (daphnia magna) >1,000 mg/l (Eisenia fetida (Regenwürmer))
NOEC	, , , , , , , , , , , , , , , , , , , ,
	100 mg/kg (Eisenia fetida (Regenwürmer))
EC10	0.78 mg/l (daphnia magna) 10 mg/l (Pseudokirchneriella subcapitata)
	>10 mg/l (Pseudokirchneriella subcapitata)
	2.8 mg/l (Oncorhynchus mykiss)
	bis(1,2,2,6,6-Pentamethyl-piperidyl)sebacat
	20 mg/l (daphnia magna) (OECD 202)
EC50/2411	>100 mg/l (BES) (OECD 202)
	1 mg/l (daphnia magna)
	1.68 mg/l (Desmodesmus subspicatus) (OECD 201)
LC50/96h	0.9 mg/l (Brachydanio rerio)
LC30/9011	0.9 mg/l (Brachydanio reno) 0.97 mg/l (lepomis macrochirus)
	7.9 mg/l (Oncorhynchus mykiss) (OECD 203: ISO 7346; 92/69/EWG, C.1)
· 12 2 Poreis	

12.2 Persistence and

degradability Not easily biodegradable

• 12.3 Bioaccumulative potential
• 12.4 Mobility in soil

Non significant accumulation in organisms
No further relevant information available.

· Ecotoxical effects:

Remark: Harmful to fish

(Contd. on page 9)



(Contd. of page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

· Additional ecological information:

· General notes:

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.√P∨B: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number	V-:-I
· <u>ADR, ADN, IMDG, IATA</u>	Void
14.2 UN proper shipping name	
· <u>ADR, ADN, IMDG, IATA</u>	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· <u>Class</u>	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· <u>Marine pollutant:</u>	No
14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marp	ol
and the IBC Code	Not applicable.
· Transport/Additional information:	Not dengarage according to the above apositiontions
Transport Additional Information.	Not dangerous according to the above specifications.
 	Not dangerous according to the above specifications.
· IMDG · Remarks:	Without hardener component: no dangerous goods < 30 l
· <u>IMDG</u>	Without hardener component: no dangerous goods < 30 l Packing group III, if content of packaging < 30 l,
· <u>IMDG</u>	Without hardener component: no dangerous goods < 30 l
· IMDG	Without hardener component: no dangerous goods < 30 l Packing group III, if content of packaging < 30 l,
· IMDG · Remarks:	Without hardener component: no dangerous goods < 30 l Packing group III, if content of packaging < 30 l,
· IMDG · Remarks: · IATA	Without hardener component: no dangerous goods < 30 I Packing group III, if content of packaging < 30 I, according 2.3.2.3 IMDG Without hardener component: 3/III UN 1866 Resin
· IMDG · Remarks:	Without hardener component: no dangerous goods < 30 I Packing group III, if content of packaging < 30 I, according 2.3.2.3 IMDG Without hardener component: 3/III UN 1866 Resin Solution Packing group III, if content of packaging < 30I, according

SECTION 15: Regulatory information

(Contd. on page 10)

AKEMI®

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021 Version number 2 Revision: 29.03.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 9)

• 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EWG (2008/47/EG); 453/2010/EG

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· <u>Waterhazard class:</u> Water hazard class 1 (Self-assessment): slightly hazardous for water.

· <u>VOC EU</u> 0.0 g

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Laboratory

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard — Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3