	according to 1907/2006/EC, Article 31	
Printing date 29.03.2021	Version number 7	Revision: 29.03.2021
SECTION 1: Identification of the	substance/mixture and of the company/undertakin	Ig
1.1 Product identifier		
· Trade name:	Composil	
· Article number:	4 04 xx	
· 1.2 Relevant identified uses of	- 0- 22	
the substance or mixture and		
uses advised against	No further relevant information available.	
Application of the substance / the		
mixture	Silicate sealing	
1.3 Details of the supplier of the		
· Manufacturer/Supplier:	AKEMI chemisch technische Spezialfabrik GmbH	Tel. +49(0)911-642960
	Lechstrasse 28 D 90451 Nürnberg	Fax. +49(0)911-644456 e-mail info@akemi.de
	D 30401 Numberg	
<ul> <li>Further information obtainable from:</li> </ul>	Laboratory	
· 1.4 Emergency telephone	Laboratory	
number:	Product Safety Department AKEMI chemisch technis	che Spezialfabrik GmbH
	Tel. +49(0)911-64296-59	
	Reachable during the following office hours:	
	Monday – Thursday from 07:30 a.m. to 16:30 p.m.	
	Friday from 07:30 a.m. to 13:30 p.m. +44 (171) 635 91 91	
	National Poison Inform. Centre	
	Medical Toxicology Unit	
	Avalonley Road	
	London SE14 5ER	
SECTION 2: Hazards identification • <u>2.1 Classification of the substan</u> • <u>Classification according to</u> Regulation (EC) No 1272/2008		aulation.
<del></del>		
• <b>2.2 Label elements</b> • Labelling according to Regulation		
(EC) No 1272/2008	Void	
· Hazard pictograms	Void	
· Signal word	Void	
· Hazard-determining components	of	
labelling:	Not applicable.	
· Hazard statements	Void	
· Additional information:	Products treated with biocide OIT (CAS 26530-20-1). Contains N-(3-(trimethoxysilyl)propyl)ethylenediamir reaction.	
	Safety data sheet available on request.	
2.3 Other hazards		
• Results of PBT and vPvB assess		
· <u>PBT:</u>	Not applicable.	
$\cdot \underline{\text{vPvB}}$	ronulathulanadiamina	
1760-24-3 N-(3-(trimethoxysilyl)p	ropyi jetnylehediamine	
SECTION 3: Composition/inform	nation on ingredients	
· 3.2 Chemical characterisation: I	Mixtures	
· Description:	Mixture of substances listed below with nonhazardou	s additions.
		(Contd. on page 2)

**AKEMI**<sup>®</sup>

Printing date 29.03.2021

Version number 7

Revision: 29.03.2021

Trade name: Composil

	(Contd. c	of page 1)
· Dangerous components:		
CAS: 58190-57-1	Ethyl tris (acetonoximo) silane	1-5%
EC number: 611-631-1	STOT RE 2, H373	
Reg.nr.: 01-2119982962-22-0000		
CAS: 1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	<1%
EINECS: 217-164-6	STOT RE 2, H373	
Reg.nr.: 01-2119970215-39	Eye Dam. 1, H318	
	Acute Tox. 4, H332; Skin Sens. 1, H317	
	vPvB	
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	
SECTION 4: First aid measures 4.1 Description of first aid meas		
· General information:	Immediately remove any clothing soiled by the product.	
	No special measures required.	
· <u>After inhalation:</u> · After skin contact:	Supply fresh air; consult doctor in case of complaints. Immediately wash with water and soap and rinse thoroughly.	
Alter skin contact.	If skin irritation continues, consult a doctor.	
· After eye contact:	Rinse opened eye for several minutes under running water. Then co	onsult a
<u>nucl of contact</u>	doctor.	onount a
· After swallowing:	If symptoms persist consult doctor.	
4.2 Most important symptoms		
and effects, both acute and		
<u>delayed</u>	No further relevant information available.	
4.3 Indication of any immediate		
medical attention and special		
treatment needed	No further relevant information available.	
SECTION 5: Firefighting measur	res	
<ul> <li><u>5.1 Extinguishing media</u></li> <li>Suitable extinguishing agents:</li> </ul>	CO2, powder or water spray. Fight larger fires with water spray or	alcohol
	resistant foam.	aloonol
· For safety reasons unsuitable		
extinguishing agents:	Water with full jet	
5.2 Special hazards arising from		
the substance or mixture	Under certain fire conditions, traces of other toxic gases cannot be ex	cluded,
	e.g.:	
	Carbon monoxide (CO)	
	Nitrogen oxides (NOx)	
5.3 Advice for firefighters	Marian and the state of the second state of the state of the second state of the secon	
Protective equipment:     Additional information	Wear self-contained respiratory protective device.	
· Additional information	Dispose of fire debris and contaminated fire fighting water in accordan	ice with
	official regulations.	
SECTION 6: Accidental release	measures	
<ul> <li>6.1 Personal precautions,</li> </ul>		
protective equipment and		
emergency procedures	Ensure adequate ventilation	
6.2 Environmental precautions:	Do not allow product to reach sewage system or any water course.	
	Internet according and and the shift of the same of a second set of the surface second set of the seco	

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3) GB

**AKEMI**<sup>®</sup>

inting date 29.03.2021	
	Version number 7 Revision: 29.03.2
<u>ade name:</u> Composil	
	(Contd. of pag
6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, unive
	binders, sawdust). Ensure adequate ventilation.
· 6.4 Reference to other sections	
0.4 Reference to other sections	
SECTION 7: Handling and store	age
7.1 Precautions for safe	
handling	No special measures required.
	Ensure good ventilation/exhaustion at the workplace.
Information about fire - and	
explosion protection:	No special measures required.
<u>7.2 Conditions for safe storage</u> Storage:	e, including any incompatibilities
· Requirements to be met by	
storerooms and receptacles:	No special requirements.
<ul> <li>Information about storage in one common storage facility:</li> </ul>	Store away from foodstuffs.
· Further information about storage	
conditions:	None.
· Storage class:	12
7.3 Specific end use(s)	No further relevant information available.
Additional information about designation of technical facilities:     Ingredients with limit values that	<u>gn</u> No further data; see item 7.
require monitoring at the workplace:	The product does not contain any relevant quantities of materials with crit
require monitoring at the workplace:	The product does not contain any relevant quantities of materials with crit values that have to be monitored at the workplace.
require monitoring at the workplace: · DNELs	values that have to be monitored at the workplace.
require monitoring at the workplace: • DNELs 58190-57-1 Ethyl tris (acetonox	values that have to be monitored at the workplace. kimo) silane
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.          kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         lerholt)       0.059 mg/kg bw/day (ARB)
require monitoring at the workplace:         • DNELs         • 58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         lerholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)         0.03 mg/kg bw/day (BEV)         o.103 mg/kg bw/day (BEV)         0.0419 mg/m³ Air (ARB)
require monitoring at the workplace:         • DNELs         • 58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL ( Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         cimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)         erholt)       0.419 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)
require monitoring at the workplace: DNELs 58190-57-1 Ethyl tris (acetonox Oral DNEL (Langzeit-wiede Dermal DNEL (Langzeit-wiede Inhalative DNEL (Langzeit-wiede 1760-24-3 N-(3-(trimethoxysilyl)	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         lerholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)         0.03 mg/kg bw/day (BEV)         0.103 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)         I)propyl)ethylenediamine
require monitoring at the workplace:         • DNELs         • 58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl         Oral       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)         erholt)       0.419 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)         0.103 mg/m³ Air (BEV)         I)propyI)ethylenediamine         erholt)       2.5 mg/kg bw/day (BEV)
require monitoring at the workplace: DNELs 58190-57-1 Ethyl tris (acetonox Oral DNEL (Langzeit-wiede Dermal DNEL (Langzeit-wiede Inhalative DNEL (Langzeit-wiede 1760-24-3 N-(3-(trimethoxysilyl)	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         lerholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)         0.03 mg/kg bw/day (BEV)         0.103 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)         I)propyl)ethylenediamine
require monitoring at the workplace:         • DNELs         • 58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl         Oral       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         kimo) silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)         erholt)       0.419 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)         0.103 mg/m³ Air (BEV)         I)propyI)ethylenediamine         erholt)       2.5 mg/kg bw/day (BEV)
require monitoring at the workplace:         DNELs       58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl)         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.
require monitoring at the workplace:         DNELs       58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl)         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.         dimoi silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)       0.03 mg/kg bw/day (BEV)         erholt)       0.419 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)       0.103 mg/m³ Air (BEV)         Ipropylethylenediamine         erholt)       2.5 mg/kg bw/day (BEV)         5 mg/kg bw/day (BEV)         5 mg/kg bw/day (BEV)         5 mg/kg bw/day (ARB)         17 mg/kg bw/day (ARB)         17 mg/kg bw/day (ARB)
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl)         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         DNEL (Kurzzeit-akut)       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.
require monitoring at the workplace:         DNELs       58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl)         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Kurzzeit-akut)	values that have to be monitored at the workplace. <b>kimo) silane</b> erholt) 0.03 mg/kg bw/day (BEV) 0.059 mg/kg bw/day (ARB) 0.03 mg/kg bw/day (BEV) 0.419 mg/m³ Air (ARB) 0.103 mg/m³ Air (BEV) <b>bypropylethylenediamine</b> erholt) 2.5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) 17 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) 2.5 mg/kg bw/day (BEV) by by by by (BEV) 5 mg/kg bw/day (BEV) 35.3 mg/m³ Air (ARB)
require monitoring at the workplace:         workplace:         DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Oral       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Kurzzeit-akut)         DNEL ( Langzeit-wiede       DNEL ( Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede	values that have to be monitored at the workplace.
require monitoring at the workplace:         DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl))         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         DNEL (Langzeit-wiede       DNEL (Langzeit-wiede         DNEL (Langzeit-wiede       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede	values that have to be monitored at the workplace. <b>kimo) silane</b> erholt) 0.03 mg/kg bw/day (BEV) erholt) 0.059 mg/kg bw/day (ARB) 0.03 mg/kg bw/day (BEV) erholt) 0.419 mg/m³ Air (ARB) 0.103 mg/m³ Air (BEV) <b>bropyl)ethylenediamine</b> erholt) 2.5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) erholt) 5 mg/kg bw/day (BEV) erholt) 5 mg/kg bw/day (BEV) erholt) 5 mg/kg bw/day (BEV) erholt) 35.3 mg/m³ Air (ARB) 8.7 mg/m³ Air (BEV)
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl))         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         DNEL (Langzeit-wiede       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         · PNECs       58190-57-1 Ethyl tris (acetonox	values that have to be monitored at the workplace. <b>kimo) silane</b> erholt) 0.03 mg/kg bw/day (BEV) erholt) 0.059 mg/kg bw/day (ARB) 0.03 mg/kg bw/day (BEV) erholt) 0.419 mg/m³ Air (ARB) 0.103 mg/m³ Air (BEV) <b>bropyl)ethylenediamine</b> erholt) 2.5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) 5 mg/kg bw/day (BEV) erholt) 5 mg/kg bw/day (BEV) erholt) 5 mg/kg bw/day (BEV) erholt) 5 mg/kg bw/day (BEV) erholt) 35.3 mg/m³ Air (ARB) 8.7 mg/m³ Air (BEV)
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Oral       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Oral       DNEL (Langzeit-wiede         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         DNEL (Langzeit-wiede       DNEL (Langzeit-wiede         DNEL (Langzeit-wiede       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         PNECs       58190-57-1 Ethyl tris (acetonox         PNEC (wässrig)       2.4 mg/l (KA)	values that have to be monitored at the workplace.         dimo silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)       0.419 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)       0.103 mg/m³ Air (BEV)         propyt)ethylenediamine       0.103 mg/kg bw/day (BEV)         erholt)       2.5 mg/kg bw/day (BEV)         5 mg/kg bw/day (ARB)       17 mg/kg bw/day (BEV)         erholt)       5 mg/kg bw/day (BEV)         brind(k)       5 mg/kg bw/day (BEV)         erholt)       5 mg/kg bw/day (BEV)         brind(k)       5 mg/kg bw/day (BEV)         erholt)       35.3 mg/m³ Air (ARB)         a.7 mg/m³ Air (BEV)       8.7 mg/m³ Air (BEV)
require monitoring at the workplace:         • DNELs         58190-57-1 Ethyl tris (acetonox         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         1760-24-3       N-(3-(trimethoxysilyl))         Oral       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         Dermal       DNEL (Langzeit-wiede         DNEL (Langzeit-wiede       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         Inhalative       DNEL (Langzeit-wiede         · PNECs       58190-57-1 Ethyl tris (acetonox	values that have to be monitored at the workplace.         dimo silane         erholt)       0.03 mg/kg bw/day (BEV)         erholt)       0.059 mg/kg bw/day (ARB)         0.03 mg/kg bw/day (BEV)       0.419 mg/m³ Air (ARB)         0.103 mg/m³ Air (BEV)       0.103 mg/m³ Air (BEV)         propyt)ethylenediamine       0.103 mg/kg bw/day (BEV)         erholt)       2.5 mg/kg bw/day (BEV)         5 mg/kg bw/day (ARB)       17 mg/kg bw/day (BEV)         erholt)       5 mg/kg bw/day (BEV)         brind(k)       5 mg/kg bw/day (BEV)         erholt)       5 mg/kg bw/day (BEV)         brind(k)       5 mg/kg bw/day (BEV)         erholt)       35.3 mg/m³ Air (ARB)         a.7 mg/m³ Air (BEV)       8.7 mg/m³ Air (BEV)

Printing date 29.03.2021

Version number 7

Revision: 29.03.2021

**AKEMI**<sup>®</sup>

<u>Trade name:</u> Comp	osil		
		(Contd. of page 3)	
PNEC (fest)	205 mg/kg Trocke	engew (MWS)	
	2,047 mg/kg Trockengew (SWS)		
1760-24-3 N-(3-(	(trimethoxysilyl)p	ropyl)ethylenediamine	
PNEC (wässrig)			
	0.0062 mg/l (MW		
	0.062 mg/l (SW)		
	0.62 mg/l (WAS)		
PNEC (fest)	0.0075 mg/kg Tro	ockengew (BO)	
	0.005 mg/kg Troc		
	0.05 mg/kg Trock		
· Additional inform	ation:	The lists valid during the making were used as basis.	
· 8.2 Exposure co			
Personal protect			
· General protectiv	e and hygienic	In mediately we may a all acided and contention to delathing	
measures:		Immediately remove all soiled and contaminated clothing Do not inhale gases / fumes / aerosols.	
· Respiratory prote	ection:	Not necessary if room is well-ventilated.	
		In case of brief exposure or low pollution use respiratory filter device. In case of	
· <u>Protection of har</u>	<u>nds:</u>	intensive or longer exposure use self-contained respiratory protective device. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.	
		Protective gloves	
· <u>Material of glove</u>	<u>s</u>	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Butyl rubber, BR	
		The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	
· Penetration time	of glove material	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.	
· Eye protection:		Goggles recommended during refilling	
Body protection:		Protective work clothing	
SECTION 9: Phy	ysical and chemic	cal properties	
• <u>9.1 Information</u> • General Informa		I and chemical properties	
· Appearance:			
Form:		Pasty	
Colour:		Different according to colouring	
· <u>Odour:</u>		Specific type	

		( <b>a</b> ) (
Melting point/freezing point:	Undetermined.	
· Change in condition		
· pH-value at 20 °C:	7	

Printing date 29.03.2021

Version number 7

Revision: 29.03.2021

**AKEMI**<sup>®</sup>

Trade name: Composil

	(Contd.	of page 4)
Initial boiling point and boiling rang	ge: Undetermined.	
· Flash point:	Not applicable.	
· Ignition temperature:	~430 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Vapour pressure:	Not determined.	
· <u>Density:</u>	Not determined.	
· <u>Solubility in / Miscibility with</u> water:	Not miscible or difficult to mix.	
· <u>Viscosity:</u> <u>Dynamic:</u> Kinematic at 20 °C:	Not determined. 0 s (DIN 53211/4)	
• 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

10.1 Reactivity 10.2 Chemical stability	No further relevant information available.
· Thermal decomposition /	
conditions to be avoided:	No decomposition if used and stored according to specifications.
<ul> <li><u>10.3 Possibility of hazardous</u></li> </ul>	
reactions	Reacts with strong oxidising agents.
<ul> <li><u>10.4 Conditions to avoid</u></li> </ul>	No further relevant information available.
<u>10.5 Incompatible materials:</u>	No further relevant information available.
<ul> <li>10.6 Hazardous decomposition</li> </ul>	
products:	Small quantities of formaldehyde may be formed

## **SECTION 11: Toxicological information**

• <u>11.1 Infor</u>	mation on	toxicological	effects		
<ul> <li>Acute toxic</li> </ul>	city		Based on available data, the classification criteria are not met.		
· <u>LD/LC50</u> v	· LD/LC50 values relevant for classification:				
58190-57-	58190-57-1 Ethyl tris (acetonoximo) silane				
Oral	LD50	2,500 mg/kg (	rat)		
	NOAEL	11.87 mg/kg (	rat)		
Dermal	LD50	2,500 mg/kg (	rat)		
1760-24-3	N-(3-(trim	nethoxysilyl)p	ropyl)ethylenediamine		
Oral	LD50	2,995 mg/kg (	rat)		
	NOEL	≥500 mg/kg (ı	rat) (OECD 422)		
	NOAEL	≥500 mg/kg (ı	rat)		
Dermal	LD50	>2,000 mg/kg (rat)			
Inhalative	LC50/4 h	1.49 mg/l (rat)			
· Primary irr	itant effect			,	
Skin corro	sion/irritati	on	Based on available data, the classification criteria are not met.		
· Serious ey	· Serious eye damage/irritation		Based on available data, the classification criteria are not met.		
· Respiratory or skin sensitisation		ensitisation	Based on available data, the classification criteria are not met.		
Additional toxicological information:					
· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)					
· Germ cell	mutagenic	ity	Based on available data, the classification criteria are not met.		
Carcinogenicity Based on available data, the classification criteria are not met.					
				(Contd. on page 6)	

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021

Version number 7

Revision: 29.03.2021

Trade name: Composil		
<ul> <li>Reproductive toxicity</li> <li>STOT-single exposure</li> <li>STOT-repeated exposure</li> <li>Aspiration hazard</li> </ul>	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.	(Contd. of page 5)

# **SECTION 12: Ecological information**

### · 12.1 Toxicity

	<u>-</u>		
· <u>Aquatic tox</u>			
	Ethyl tris (acetonoxir		
	678.73 mg/l (daphnia magna) (OECD-Prüfrichtlinie 202)		
NOEC	62.34 mg/kg (Selenastrum capricornutum) (OECD-Prüfrichtlinie 201)		
EC50/72h	315.36 mg/l (Selenasti	rum capricornutum) (OECD-Prüfrichtlinie 201)	
LC50/96h	696.76 mg/l (Pimephal	les promelas) (OECD- Prüfrichtlinie 203)	
		propyl)ethylenediamine	
EC50	<b>U</b> (	n: Atmungs-/Vermehrungshemmung)	
IC50/72h	8.8 mg/l (green alge) (	,	
EC50/48h	81 mg/l (daphnia magr	na)	
EC50/16h	67 mg/l (pseudomonas		
NOEC	3.1 mg/kg (green alge)	) (OECD 201)	
	≥1,000 mg/kg (Eisenia	fetida ( Regenwürmer)) (OECD 207)	
	>1 mg/l (daphnia magr	,	
EC50/48h	87.4 mg/l (daphnia ma	gna)	
EC50/72h	5 mg/l (green alge)		
	126 mg/l (Scenedesmus subspicatus)		
LC50/96h	344 mg/l (Brachydanio rerio)		
	597 mg/l (Danio rerio.)		
168 mg/l (pimephales promelas)			
· 12.2 Persis			
degradabil		No further relevant information available.	
• <u>12.3 Bioac</u> • 12.4 Mobili	cumulative potential	No further relevant information available. No further relevant information available.	
	ecological information:		
· General no		Do not allow product to reach ground water, water course or sewage system.	
		Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous	
	ts of PBT and vPvB as	for water	
· PBT:		Not applicable.	
· vPvB:			
	N-(3-(trimethoxysilyl)pro	opyl)ethylenediamine	
	adverse effects	No further relevant information available.	
· <u>13.1 Waste</u>	13: Disposal considera		
· <u>Recommer</u>	idation	Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.	

Smaller quantities can be disposed of with household waste.

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.03.2021

Version number 7

Revision: 29.03.2021

(Contd. of page 6)

**AKEMI**<sup>®</sup>

Trade name: Composil

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information	
· <b>14.1 UN-Number</b> · ADR, ADN, IMDG, IATA	Void
<ul> <li><u>14.2 UN proper shipping name</u></li> <li><u>ADR, ADN, IMDG, IATA</u></li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void
· <b>14.4 Packing group</b> · ADR, IMDG, IATA	Void
<ul> <li><u>14.5 Environmental hazards:</u></li> <li><u>Marine pollutant:</u></li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.
<ul> <li>14.7 Transport in bulk according to Annex II of Marpo and the IBC Code</li> </ul>	DI Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· <u>Directive 2012/18/EU</u> · <u>Named dangerous substances -</u> <u>ANNEX I</u>	None of the ingredients is listed.
· National regulations:	
· Information about limitation of use:	Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.
<ul> <li>Waterhazard class:</li> <li>VOC EU</li> <li>15.2 Chemical safety</li> </ul>	Water hazard class 1 (Self-assessment): slightly hazardous for water. 0.0 g/l
assessment:	A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· <u>Relevant phrases</u>	H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure.
<ul> <li>Department issuing SDS:</li> <li>Contact:</li> </ul>	Laboratory Elke Hake Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

Printing date 29.03.2021

Version number 7

Revision: 29.03.2021

Trade name: Composil

<ul> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)</li> <li>PNEC: Predicted No-Effect Level (REACH)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4</li> <li>Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Stin Sens. 1: Skin sensitisation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2</li> <li>* Data compared to the previous version altered</li> </ul>	Trade name. Composit	
	• <u>Abbreviations and acronyms:</u>	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1
	• <u>* Data compared to the previous</u> version altered.	Adaptation in accordance with REACH directive 1907/2006/EC

