according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Everclear 510 1:1, Komponente A**

11475, 11452 A, 11482 · Article number: · UFI: F940-G08W-N002-WQMC

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the

No further relevant information available.

mixture

Polyurethane-sealent

Adhesives

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

Lechstrasse 28 D 90451 Nürnberg

Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de

KEMI®

· Further information obtainable

from: 1.4 Emergency telephone

number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

H319 Causes serious eye irritation. Eye Irrit. 2

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 · Hazard pictograms

The product is classified and labelled according to the CLP regulation.

GHS07

· Signal word Warning

· Hazard-determining components of

tetraethyl-N.N'-(methylenedicyclohexane-4.1-diyl)bis-DL-aspartate labelling:

> poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-

4-hydroxyphenyl]-1-oxopropoxy]-

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl

1,2,2,6,6-pentamethyl-4-piperidyl sebacate

H319 Causes serious eye irritation. Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

If medical advice is needed, have product container or label at · Precautionary statements P101

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing vapours.

Avoid release to the environment. P273

Wear protective gloves / eye protection. P280

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 1)

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with loca

Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

 $\begin{array}{ccc} \cdot & \underline{\mathsf{PBT:}} & & \mathsf{Not applicable.} \\ \cdot & \underline{\mathsf{vPvB:}} & & \mathsf{Not applicable.} \end{array}$

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Mixture: consisting of the following components.

<u>=</u>		
· Dangerous components:		
CAS: 136210-30-5 ELINCS: 429-270-1 Index number: 607-521-00-8 Reg.nr.: 01-0000017556-64-0000	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Skin Sens. 1, H317 Aquatic Chronic 3, H412	50-100%
CAS: 623-91-6 EINECS: 210-819-7	diethyl fumarate Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	1-5%
CAS: 104810-47-1 ELINCS: 400-830-7 Index number: 607-176-00-3 Reg.nr.: 01-2119396032-43	poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]- Aquatic Chronic 2, H411 Skin Sens. 1, H317	1-5%
EC number: 915-687-0 Reg.nr.: 01-2119491304-40	Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Repr. 2, H361f Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317	1-5%
· Additional information:	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for

transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

consult a doctor.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

<u>delayed</u> No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment neededNo further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable

extinguishing agents:

Water with full jet

5.2 Special hazards arising from

the substance or mixture In case of fire, the following can be released:

Carbon monoxide (CO) Nitrogen oxides (NOx) Hydrogen cyanide (HCN)

5.3 Advice for firefighters

· <u>Protective equipment:</u> Wear self-contained respiratory protective device.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage

system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

<u>emergency procedures</u> Ensure adequate ventilation

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: No special requirements.

· Information about storage in one

<u>common storage facility:</u> Store away from foodstuffs.

· Further information about storage

<u>conditions:</u> Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace

values that have to be monitored at the workplace.			
	<u>'</u>		
)-5 tetraethyl-N,N'-(methyler	nedicyclohexane-4,1-diyl)bis-DL-aspartate		
DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)		
DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)		
	1.4 mg/kg bw/day (BEV)		
DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)		
DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)		
	1.4 mg/kg bw/day (BEV)		
DNEL (Kurzzeit-akut)	112 mg/m³ Air (ARB)		
	4.8 mg/m³ Air (BEV)		
DNEL (Langzeit-wiederholt)	28 mg/m³ Air (ARB)		
	4.8 mg/m³ Air (BEV)		
104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]- 1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1- oxopropoxy]-			
DNEL (Langzeit-wiederholt)	0.025 mg/kg bw/day (BEV)		
DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (ARB)		
	0.25 mg/kg bw/day (BEV)		
DNEL (Langzeit-wiederholt)	0.35 mg/m³ Air (ARB)		
	0.085 mg/m³ Air (BEV)		
mass of bis(1,2,2,6,6-pentar sebacate	methyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-		
DNEL (Kurzzeit-akut)	1.25 mg/kg bw/day (BEV)		
DNEL (Langzeit-wiederholt)	0.18 mg/kg bw/day (BEV)		
DNEL (Kurzzeit-akut)	2.5 mg/kg bw/day (ARB)		
	1.25 mg/kg bw/day (BEV)		
DNEL (Langzeit-wiederholt)	1.8 mg/kg bw/day (ARB)		
	0.9 mg/kg bw/day (BEV)		
	0.05 m v/m 3.4 m (ADD)		
DNEL (Kurzzeit-akut)	2.35 mg/m³ Air (ARB)		
DNEL (Kurzzeit-akut)	0.58 mg/m³ Air (BEV)		
DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	· · · · · · · · · · · · · · · · · · ·		
	Value D-5 tetraethyl-N,N'-(methyler DNEL (Kurzzeit-akut) DNEL (Kurzzeit-akut) DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt) DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt) T-1 poly(oxy-1,2-ethanediyl) 1-oxopropyl]-ω-[3-[3-(oxopropoxy]- DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt) mass of bis(1,2,2,6,6-pentarsebacate DNEL (Kurzzeit-akut) DNEL (Kurzzeit-akut) DNEL (Kurzzeit-akut) DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt) DNEL (Langzeit-wiederholt)		

· PNECs

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

PNEC (wässrig) 31.1 mg/l (KA) 0.000013 mg/l (MW) 0.00013 mg/l (SW)

PNEC (fest) 0.1 mg/kg Trockengew (BO)

0.02 mg/kg Trockengew (MWS)

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 4)

0.21 mg/kg Trockengew (SWS)

104810-47-1 poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-0xopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-

oxopropoxy]-

PNEC (wässrig) 10 mg/l (KA)

0.00023 mg/l (MW) 0.0023 mg/l (SW) 0.028 mg/l (WAS)

PNEC (fest) 2 mg/kg Trockengew (BO)

0.306 mg/kg Trockengew (MWS) 3.06 mg/kg Trockengew (SWS)

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

PNEC (wässrig) 1 mg/l (KA)

0.00022 mg/l (MW) 0.0022 mg/l (SW) 0.009 mg/l (WAS) 0.21 mg/kg Trockengew (BO)

PNEC (fest) 0.21 mg/kg Trockengew (BO

0.11 mg/kg Trockengew (MWS)1.05 mg/kg Trockengew (SWS)

Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures:

Do not eat or drink while working.

Avoid close or long term contact with the skin.

The usual precautionary measures are to be adhered to when handling

chemicals.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

· Respiratory protection: Short term filter device:

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL

GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH,

Germany, 36124 Eichenzell, internet: http://www.kcl.de).

Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.



(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/

the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but · Material of gloves also on further marks of quality and varies from manufacturer to manufacturer.

As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

· Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

· As protection from splashes gloves made of the following materials are

Butyl rubber, BR

· Not suitable are gloves made of

Leather gloves

the following materials:

Strong material gloves

· Eye/face protection

Goggles recommended during refilling

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Colour: According to product specification

· Odour: Weak, characteristic · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Undetermined.

· Flammability Not applicable.

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. Not applicable. · Flash point:

· Auto-ignition temperature: Product is not selfigniting.

· Decomposition temperature: Not determined. ·pH Not determined.

· Viscosity:

Kinematic viscosity Not determined. Not determined. · Dynamic:

Solubility

· Vapour pressure:

· Relative density

· Vapour density

Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)

Not determined. Not determined.

· Density and/or relative density

Density at 20 °C:

1.1 g/cm³ Not determined. Not determined.

• 9.2 Other information

· Appearance:

· Form: Fluid

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 6)

· Important information on protection of health and

environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

SADT 50°C

· Solvent content:

· Solids content: 6.4 %

· Change in condition

· Evaporation rate Not determined.

 \cdot Information with regard to physical hazard classes

· Explosives

Void

· Flammable gases

Void

· Aerosols

Void

Oxidising gases

Void

· Gases under pressure

Void

· Flammable liquids

Void

· Flammable solids

Void

· Self-reactive substances and mixtures

Void

· Pyrophoric liquids

Void

· Pyrophoric solids

Void

· Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

· Oxidising solids

Void

· Organic peroxides

Void

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 7)

· Corrosive to metals

Void

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous

reactions

No dangerous reactions known.

· 10.4 Conditions to avoid · 10.5 Incompatible materials: No further relevant information available. No further relevant information available.

10.6 Hazardous decomposition

products:

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

|--|

ATE (Acute Toxicity Estimates)

Oral LD50 65,398 mg/kg (rat)

Oral	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.1.)
Dermal	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.3.)
Laboratoria	1.050/45	> 4.004 mars/mo2 (mot) (OECD Duitfrightlinia 400)

Inhalative LC50/4h >4,224 mg/m3 (rat) (OECD-Prüfrichtlinie 403)

623-91-6 diethyl fumarate

Oral LD50 1,780 mg/kg (rat)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

Oral	LD50	>5,000 mg/kg (rat
Dermal	LD50	>2,000 mg/kg (rat

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Oral	LD50	3,230 mg/kg (rat)
Dermal	LD50	>3,170 mg/kg (rat

Primary irritant effect: Do not get in eyes, on skin, or on clothing.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation
Germ cell mutagenicity

May cause an allergic skin reaction.

Based on available data, the classification criteria are not met.

Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 9)



(Contd. of page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

· Additional toxicological information:

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

•	Αq	uatio	toxici	ty:

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

EC50 3,110 mg/l (BES) (ISO Vorschrift 8192-1986 E)

IC50/72h 113 mg/l (Scenedesmus subspicatus) (Richtlinie 67/548/EWG, Anhang V, C.3.)

EC50/48h 88.6 mg/l (daphnia magna) (UBA-Verfahrensvorschlag Mai 1984)

ErC50/72h 113 mg/l (Scenedesmus subspicatus)

NOEC 100 mg/kg (Ac) (OECD 208)

100 mg/kg (As) (OECD 208) 100 mg/kg (Bn) (OECD 208)

≥1,000 mg/kg (Eisenia fetida (Regenwürmer)) (OECD-Prüfrichtlinie 207)

NOEC/21d 0.01 mg/l (daphnia magna) (Richtlinie 67/548/EWG, Anhang V, C.20.)

LC50/96h 66 mg/l (Danio rerio.) (OECD 203)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]

 $1-oxopropyl]-\omega-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-\\$

EC50 >1,000 mg/l (BES)

EC50/48h 4 mg/l (daphnia magna)

LC 0 >1,000 mg/l (Eisenia fetida (Regenwürmer))
NOEC 100 mg/kg (Eisenia fetida (Regenwürmer))

NOEC/21d 0.78 mg/l (daphnia magna)

EC10 10 mg/l (Pseudokirchneriella subcapitata) EC50/72h >100 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 2.8 mg/l (Oncorhynchus mykiss)

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

EC50/24h 20 mg/l (daphnia magna)

EC20/3h ≥100 mg/l (BES)

LL0/96h 0.9 mg/l (Zebrabärbling) NOEC/21d 1 mg/l (daphnia magna)

EC50/72h | 1.68 mg/l (Desmodesmus subspicatus)

LC50/96h 0.9 mg/l (Brachydanio rerio)

7.9 mg/l (Oncorhynchus mykiss)

12.2 Persistence and

degradability Not easily biodegradable

• <u>12.3 Bioaccumulative potential</u> Non significant accumulation in organisms • <u>12.4 Mobility in soil</u> No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

 \overline{VPVB} : Not applicable.

(Contd. on page 10)



according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 9)

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Remark:

Harmful to fish

· Additional ecological information:

· General notes:

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to

reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· <u>14.1 UN number or ID number</u> · <u>ADR, ADN, IMDG, IATA</u>	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void
· <u>14.4 Packing group</u> · <u>ADR, IMDG, IATA</u>	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IM	<u>o</u>
<u>instruments</u>	Not applicable.
· <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
·IMDG	
· Remarks:	Without hardener component: no dangerous goods < 30 I Packing group III, if content of packaging < 30 I, according 2.3.2.3 IMDG
·IATA	
· Remarks:	Without hardener component: 3/III UN 1866 Resin Solution Packing group III, if content of packaging < 30I, according 3.3.3.1.1 IATA
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

(Contd. on page 11)

AKEMI®

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 10)

15.1 Safety, health and environmental regulations/ legislation specific for the

<u>substance or mixture</u> 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EWG (2008/47/EG); 453/2010/EG

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU

0.0 g/l

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H335 May cause respiratory irritation. H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 12)

AKEMI®

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.12.2021 Version number 3 (replaces version 2) Revision: 02.12.2021

Trade name: Everclear 510 1:1, Komponente A

(Contd. of page 11)

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:

· Contact:

· Abbreviations and acronyms:

Laboratory

Dieter Zimmermann

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB