AKEMI®

Fax. +49(0)911-644456

e-mail info@akemi.de

according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Techno-Ceramic Daily Cleaner

· Article number: 12027
 · CAS Number: 7732-18-5
 · EC number: 231-791-2

· UFI: MDK1-60NA-E00V-6XJ7

• 1.2 Relevant identified uses of the substance or mixture and

uses advised againstNo further relevant information available.

· Application of the substance / the

<u>mixture</u> Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960

Lechstrasse 28 D 90451 Nürnberg

· Further information obtainable

<u>from:</u> Laboratory

· 1.4 Emergency telephone

<u>number:</u> Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· <u>Classification according to Regulation (EC) No 1272/2008</u> Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Hazard pictograms The substance is classified and labelled according to the CLP regulation.



GHS07

· Signal word Warning

· Hazard-determining components of

<u>labelling:</u> 2-methyl-2H-isothiazol-3-one

· Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

· Additional information: Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-

3(2H)-one

(Contd. on page 2)



(Contd. of page 1)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

Trade name: Techno-Ceramic Daily Cleaner

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.√PvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description 7732-18-5 water, distilled, conductivity or of similar purity

· Identification number(s)

· EC number: 231-791-2

· Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 67-63-0	propan-2-ol	<1%
EINECS: 200-661-7	Flam. Liq. 2, H225	
Index number: 603-117-00-0	Eye Irrit. 2, H319; STOT SE 3, H336	
Reg.nr.: 01-2119457558-25-xxxx		
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	<1%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330	
Index number: 613-326-00-9	Skin Corr. 1B, H314; Eye Dam. 1, H318	
Reg.nr.: 01-2120764690-50	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Skin Sens. 1A, H317; STOT SE 3, H335	

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE), perfumes <5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Take affected persons out into the fresh air.

No special measures required.

After inhalation:
 After skin contact:
 Supply fresh air; consult doctor in case of complaints.
 Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a

doctor.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

<u>delayed</u> No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO) Nitrogen oxides (NOx)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

Trade name: Techno-Ceramic Daily Cleaner

(Contd. of page 2)

5.3 Advice for firefighters

· <u>Protective equipment:</u> No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and

<u>emergency procedures</u> Ensure adequate ventilation

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

• 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information. No dangerous substances are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

· Information about fire - and

<u>explosion protection:</u> No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

· Information about storage in one

<u>common storage facility:</u>
Store away from oxidising agents.
Store away from foodstuffs.

· Further information about storage

conditions: Protect from frost.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about design

of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

Personal protective equipment:
 General protective and hygienic

measures: Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

· Respiratory protection: Not required.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

Trade name: Techno-Ceramic Daily Cleaner

· Protection of hands: No chemical-protective gloves required. (Contd. of page 3)

Preventive skin protection by use of skin-protecting agents is recommended. Skin protection agent recommendation for preventive skin shelter in application

and combination of protective gloves: STOKODERM (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for

the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

· Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer.

The exact break trough time has to be found out by the manufacturer of the Penetration time of glove material protective gloves and has to be observed.

Goggles recommended during refilling · Eye protection:

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· <u>Odour:</u>	Odourless	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	0°C	
Initial boiling point and boiling range:	100 °C	
· Flash point:	Not applicable.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· <u>Vapour pressure at 20 °C:</u>	23 hPa	
· <u>Density at 20 °C:</u>	1 g/cm³	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic at 20 °C:	0.952 mPas	
Kinematic at 20 °C:	11 s (DIN 53211/4)	
Organic solvents:	0.3 %	
Water:	99.5 %	
· 9.2 Other information	No further relevant information available.	

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

Trade name: Techno-Ceramic Daily Cleaner

(Contd. of page 4)

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

• 10.2 Chemical stability
• Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

<u>reactions</u> Reacts with strong acids.

Reacts with strong oxidising agents.

• 10.4 Conditions to avoid
• 10.5 Incompatible materials:

No further relevant information available.

No further relevant information available.

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

7732-18-5 water, distilled, conductivity or of similarpurity

Oral LD50 >89,800 mg/kg (rat)

Primary irritant effect:

• Skin corrosion/irritation
• Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

12.2 Persistence and

degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

· Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

· 12.5 Results of PBT and vPvB assessment

 $\begin{array}{ll} \cdot \ \underline{\mathsf{PBT:}} & \mathsf{Not} \ \mathsf{applicable.} \\ \cdot \ \mathsf{vPvB:} & \mathsf{Not} \ \mathsf{applicable.} \end{array}$

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

Trade name: Techno-Ceramic Daily Cleaner (Contd. of page 5) · Recommended cleansing agents: Water, if necessary together with cleansing agents. **SECTION 14: Transport information** · 14.1 UN-Number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: Marine pollutant: No · 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Not dangerous according to the above specifications.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Void

· Directive 2012/18/EU

· UN "Model Regulation":

· Named dangerous substances -

· Transport/Additional information:

ANNEX I Substance is not listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· VOC EU 2.8 g/l

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Recommended restriction of use refer to Technical Data Sheet (TDS)

· Department issuing SDS: Laboratory

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 08.02.2021 Version number 11 Revision: 08.02.2021

Trade name: Techno-Ceramic Daily Cleaner

· Contact: Elke Hake (Contd. of page 6)

Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

· * Data compared to the previous version altered.

Adaptation in accordance with REACH directive 1907/2006/EC