

## **Technical Data Sheet**

Page 1 of 1

Properties:	AKEMI <sup>®</sup> Techno Ceramic Intensive Cleaner is an acid-free, ready-to- use cleaner spray made of non-ionic surfactants, auxiliary materials, odoriferous substances and solvents. The product is free from phosphates and bases; the surfactants contained are biodegradable in correspondence with the legal regulations for surfactants.
Application Area:	AKEMI <sup>®</sup> Techno Ceramic Intensive Cleaner is suited for a rapid and thorough cleaning of kitchen counter tops, displays, wall coverings and other surfaces made of high-tech ceramic. Removes stubborn dirt, e.g. incrustations by leftovers, layers of oil and grease, residues of soap.
Instructions for Use:	<ol> <li>Spray evenly on the surface to be treated.</li> <li>Spread the product with a humid cloth and allow to it to work for a short while.</li> <li>Afterwards use a humid cloth to remove the dirt. Finish by rubbing the surface with a clean and lint-free cloth until the surface is free of streaks.</li> <li>For stubborn dirt, repeat the procedure again. If necessary scrub the surface with a brush.</li> </ol>
Special Notes:	<ul> <li>Do not apply AKEMI<sup>®</sup> Techno Ceramic Intensive Cleaner on synthetic materials which are not resistant to solvents or rubber. If in doubt, test on an inconspicuous area.</li> <li>A surplus of the product causes blooming and spotting. This can be removed with water.</li> <li>For adequate waste disposal container must be completely emptied.</li> </ul>
Technical Data:	Colour:colourlessDensity:approx. 1.00 g/cm³pH value:approx. 10
Storage:	2 years if stored in cool place free from frost in its tightly closed original container.
Health & Safety:	Read Material Safety Data Sheet before handling or using this product.
Important Notice:	The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample piece.