MENT®

according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Techno Ceramic Intensiv Cleaner**

12026 · Article number:

· UFI: C8C1-60CD-000T-9M5V

1.2 Relevant identified uses of the substance or mixture and

uses advised against

No further relevant information available.

· Application of the substance / the

mixture Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-642960 Lechstrasse 28 Fax. +49(0)911-644456 D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

from: · 1.4 Emergency telephone Laboratory

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH number:

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit Avalonley Road

London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



· Signal word Warning

· Hazard-determining components of

Not applicable. labelling:

· Hazard statements H319 Causes serious eye irritation.

· Precautionary statements P101 If medical advice is needed, have product container or label at

hand.

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103 P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture: consisting of the following components.

| · Dangerous components: | | |
|---|---|------|
| CAS: 157627-86-6 Reg.nr.: 02-2119548515-35-0000 | Alcohols, C13-C15 branched and linear, ethoxylated Eye Dam. 1, H318 Acute Tox. 4, H302 Aquatic Chronic 3, H412 | 1-5% |
| CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx 02-2119751533-40-0000 | 2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319 | 1-5% |

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, perfumes

<5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.
• After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special

<u>treatment needed</u> If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· 5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Product forms slippery surface when combined with water.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

(Contd. of page 2)

6.3 Methods and material for

containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

Do not allow to enter sewers/ surface or ground water.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

No special measures required.

· Information about fire - and

explosion protection:

The product is not flammable. No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by

storerooms and receptacles:

Store only in the original receptacle.

· Information about storage in one

common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

· Further information about storage

conditions:

Protect from frost.

Storage class:

No further relevant information available. · 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about design

of technical facilities: No further data: see item 7.

· Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

· DNELs

112-34-5 2-(2-butoxyethoxy)ethanol

| Oral | DNEL (Langzeit-wiederholt) | 1.25 mg/kg bw/day (BEV) |
|------------|-----------------------------|-------------------------|
| Dermal | DNEL (Langzeit-wiederholt) | 20 mg/kg bw/day (ARB) |
| | | 10 mg/kg bw/day (BEV) |
| Inhalative | DNEL (Kurzzeit-akut) | 101.2 mg/m³ Air (ARB) |
| | | 7.5 mg/m³ Air (BEV) |
| | DNEL (Langzeit-wiederholt) | 67.5 mg/m³ Air (ARB) |
| | | 34 mg/m³ Air (BEV) |

· PNECs

112-34-5 2-(2-butoxyethoxy)ethanol

PNEC (wässrig) 200 mg/l (KA) 0.1 mg/l (MW) 1 mg/l (SW) 3.9 mg/l (WAS)

(Contd. on page 4)



(Contd. of page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

PNEC (fest) 0.32 mg/kg Trockengew (BO)

0.44 mg/kg Trockengew (MWS)

4.4 mg/kg Trockengew (SWS)

· Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

measures:

The usual precautionary measures are to be adhered to when handling

chemicals.

Not required.

Avoid close or long term contact with the skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

· Respiratory protection:

· Protection of hands:

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of

protective gloves:

STOKO EMULSION (http://www.stoko.com) STOKODERM (http://www.stoko.com)

Skin protection agent recommendation for preventive skin shelter in application

and combination of protective gloves: STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level \leq 6, 480 min

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are

Butyl rubber, BR

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Camatril (KCL, 730, 731, 732, 733)

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves

Goggles recommended during refilling · Eye protection:

SECTION 9: Physical and chemical properties

| • 9.1 Information on basic physical a • General Information • Appearance: Form: Colour: • Odour: • Odour threshold: | nd chemical properties Fluid Colourless Characteristic Not determined. | |
|---|--|--------------------|
| · pH-value at 20 °C: | 9 | |
| Change in condition Melting point/freezing point: Initial boiling point and boiling range | 0 °C <u>:</u> 100 °C | |
| · <u>Flash point:</u> | Not applicable. | |
| · Flammability (solid, gas): | Not applicable. | |
| · Decomposition temperature: | Not determined. | |
| · Auto-ignition temperature: | Product is not selfigniting. | |
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapour pressure at 20 °C: | 23 hPa | |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 1 g/cm ³ Not determined. Not determined. Not determined. | |
| · <u>Solubility in / Miscibility with</u> <u>water:</u> | Not miscible or difficult to mix. | |
| · Partition coefficient: n-octanol/water: | Not determined. | |
| · <u>Viscosity:</u> <u>Dynamic:</u> <u>Kinematic at 20 °C:</u> | Not determined. 11 s (DIN 53211/4) | |
| · <u>Solvent content:</u> Organic solvents: Water: | 1.2 % 96.7 % | |
| | | (Contd. on page 6) |



according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

(Contd. of page 5)

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability
· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous

<u>reactions</u> No dangerous reactions known.

10.4 Conditions to avoid
 10.5 Incompatible materials:
 10.6 Hazardous decomposition

No further relevant information available.

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >27,778-111,111 mg/kg (rat)

157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated

| | LC50/48h | 1-10 mg/l (Oncorhynchus mykiss) |
|--------|----------|---------------------------------|
| Dermal | LD50 | >2,000 mg/kg (rat) |
| Oral | LD50 | >500-2,000 mg/kg (rat) |

112-34-5 2-(2-butoxyethoxy)ethanol

| 112-04-0 2-(2-butoxy)ctiloxy)ctilation | | |
|--|------|---------------------|
| Oral | LD50 | 2,410 mg/kg (mouse) |
| | | >2,000 mg/kg (rat) |
| Dermal | LD50 | 2,764 mg/kg (rbt) |

Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:

157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated

EC50/48h 1-10 mg/l (daphnia magna)

EC10 >1,000 mg/l (BES)

EC50/72h 1-10 mg/l (Scenedesmus subspicatus)

(Contd. on page 7)



(Contd. of page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

112-34-5 2-(2-butoxyethoxy)ethanol

EC50/24h | 2,850 mg/l (daphnia magna) (DIN 38412)

EC50/96h >100 mg/l (Desmodesmus subspicatus)

>100 mg/l (Scenedesmus subspicatus)

EC10/16h 1,170 mg/l (pseudomonas putida)

EC5 73 mg/l (Entosiphon sulcatum)

EC50/48h >100 mg/l (daphnia magna)

NOEC >100 mg/kg (Desmodesmus subspicatus)

EC10 >1,995 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)

EC50/72h >100 mg/l (Desmodesmus subspicatus)

LC50/96h 1,300 mg/l (lepomis macrochirus)

>100 mg/l (Leuciscus idus) 1,150 mg/l (poecilia reticulata)

· 12.2 Persistence and

· 12.4 Mobility in soil

degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

No further relevant information available.

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

12.5 Results of PBT and vPvB assessment

· <u>PBT:</u> Not applicable. · vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· <u>ADR, ADN, IMDG, IATA</u> Void

14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 19.02.2021 Version number 3 Revision: 19.02.2021

Trade name: Techno Ceramic Intensiv Cleaner

(Contd. of page 7)

| | (Conta. or page 1) |
|--|--|
| · 14.7 Transport in bulk according to Annex II of Marpol | |
| and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· <u>Information about limitation of use:</u> Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· <u>VOC EU</u> 12.0 g/l

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: Laboratory

· Contact: Dieter Zimmermann

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3