

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **Everclear 300, Komponente A**
- Article number: 1133x_A, 1134x_A, 1136x_A, 1137x_A
- UFI: 62T1-P0G9-A00G-SK08

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Polyurethane resin

1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg
- Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

Further information obtainable from:

Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

Signal word

Warning

Hazard-determining components of labelling:

tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate diethyl fumarate
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

Hazard statements

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture: consisting of the following components.

Dangerous components:

CAS: 136210-30-5 ELINCS: 429-270-1 Index number: 607-521-00-8 Reg.nr.: 01-0000017556-64-0000	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Skin Sens. 1, H317 Aquatic Chronic 3, H412	25-50%
CAS: 168253-59-6 ELINCS: 433-260-2 Reg.nr.: 01-0000017942-65-0000	Asparaginsäure, N,N'-(2-methyl-1,5-pentadiyl)bis-, 1,1',4,4'-tetraethylester Aquatic Chronic 3, H412	<10%
CAS: 623-91-6 EINECS: 210-819-7	diethyl fumarate Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	1-5%
CAS: 104810-47-1 ELINCS: 400-830-7 Index number: 607-176-00-3 Reg.nr.: 01-2119396032-43 01-0000015075-76-xxxx	poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]- Aquatic Chronic 2, H411 Skin Sens. 1, H317	<1%
EC number: 915-687-0 Reg.nr.: 01-2119491304-40	Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Repr. 2, H361f Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317	<1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- After inhalation: Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Hydrogen cyanide (HCN)

· **5.3 Advice for firefighters**

· Protective equipment:

Wear self-contained respiratory protective device.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· Storage:

· Requirements to be met by storerooms and receptacles:

Provide floor trough without outlet.

· Information about storage in one common storage facility:

Store away from foodstuffs.

· Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

· Storage class:

12

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Komponente A

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection**· **8.1 Control parameters**· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs****136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate**

Oral	DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)
Dermal	DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)
Inhalative	DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)
	DNEL (Langzeit-wiederholt)	28 mg/m ³ Air (ARB)

168253-59-6 Asparaginsäure, N,N'-(2-methyl-1,5-pentadiyl)bis-, 1,1',4,4'-tetraethylester

Oral	DNEL (Kurzzeit-akut)	2.5 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	2.5 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	2.5 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	7 mg/kg bw/day (ARB)
Inhalative	DNEL (Kurzzeit-akut)	2.5 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	200 mg/m ³ Air (ARB)
	DNEL (Langzeit-wiederholt)	50 mg/m ³ Air (ARB)

104810-47-1 poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

Oral	DNEL (Langzeit-wiederholt)	0.025 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (ARB)
	DNEL (Langzeit-wiederholt)	0.25 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	0.35 mg/m ³ Air (ARB)
	DNEL (Langzeit-wiederholt)	0.085 mg/m ³ Air (BEV)

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Oral	DNEL (Kurzzeit-akut)	1.25 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	0.18 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	2.5 mg/kg bw/day (ARB)
	DNEL (Langzeit-wiederholt)	1.25 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	1.8 mg/kg bw/day (ARB)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Komponente A

(Contd. of page 4)

Inhalative	DNEL (Kurzzeit-akut)	2.35 mg/m ³ Air (ARB) 0.58 mg/m ³ Air (BEV)
	DNEL (Langzeit-wiederholt)	1.27 mg/m ³ Air (ARB) 0.31 mg/m ³ Air (BEV)

· PNECs

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

PNEC (wässrig)	31.1 mg/l (KA)
	0.000013 mg/l (MW)
	0.00013 mg/l (SW)
PNEC (fest)	0.1 mg/kg Trockengew (BO)
	0.02 mg/kg Trockengew (MWS)
	0.21 mg/kg Trockengew (SWS)

168253-59-6 Asparaginsäure, N,N'-(2-methyl-1,5-pentadiyl)bis-, 1,1',4,4'-tetraethylester

PNEC (wässrig)	320 mg/l (KA)
	0.00417 mg/l (MW)
	0.0417 mg/l (SW)
PNEC (fest)	0.42 mg/kg Trockengew (BO)
	0.22 mg/kg Trockengew (MWS)
	2.24 mg/kg Trockengew (SWS)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

PNEC (wässrig)	10 mg/l (KA)
	0.00023 mg/l (MW)
	0.0023 mg/l (SW)
	0.028 mg/l (WAS)
PNEC (fest)	2 mg/kg Trockengew (BO)
	0.306 mg/kg Trockengew (MWS)
	3.06 mg/kg Trockengew (SWS)

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

PNEC (wässrig)	1 mg/l (KA)
	0.00022 mg/l (MW)
	0.0022 mg/l (SW)
	0.009 mg/l (WAS)
PNEC (fest)	0.21 mg/kg Trockengew (BO)
	0.11 mg/kg Trockengew (MWS)
	1.05 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
Avoid close or long term contact with the skin.
Immediately remove all soiled and contaminated clothing

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31


Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 5)

<ul style="list-style-type: none"> · <u>Respiratory protection:</u> · <u>Hand protection</u> 	<p>Wash hands before breaks and at the end of work. Do not eat or drink while working. Short term filter device: Filter A/P2 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.</p> <p>The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.</p> <p>This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).</p> <p>Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics.</p>
	
	<p style="text-align: center;">Protective gloves</p> <p>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</p>
<ul style="list-style-type: none"> · <u>Material of gloves</u> · <u>Penetration time of glove material</u> · <u>For the permanent contact gloves made of the following materials are suitable:</u> · <u>As protection from splashes gloves made of the following materials are suitable:</u> · <u>Not suitable are gloves made of the following materials:</u> · <u>Eye/face protection</u> · <u>Body protection:</u> 	<p>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</p> <p>The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</p> <p>Butyl rubber, BR</p> <p>Butoject (KCL, Art_No. 897, 898) Butyl rubber, BR</p> <p>Leather gloves Strong material gloves</p> <p>Goggles recommended during refilling Protective work clothing</p>

SECTION 9: Physical and chemical properties**· 9.1 Information on basic physical and chemical properties**· General Information· Colour:

Coloured

· Odour:

Weak, characteristic

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 6)

· <u>Odour threshold:</u>	Not determined.
· <u>Melting point/freezing point:</u>	Undetermined.
· <u>Boiling point or initial boiling point and boiling range</u>	Undetermined.
· <u>Flammability</u>	Not applicable.
· <u>Lower and upper explosion limit</u>	
· <u>Lower:</u>	Not determined.
· <u>Upper:</u>	Not determined.
· <u>Flash point:</u>	Not applicable.
· <u>Decomposition temperature:</u>	Not determined.
· <u>pH</u>	Not determined.
· <u>Viscosity:</u>	
· <u>Kinematic viscosity</u>	Not determined.
· <u>Dynamic:</u>	Not determined.
· <u>Solubility</u>	
· <u>water:</u>	Not miscible or difficult to mix.
· <u>Partition coefficient n-octanol/water (log value)</u>	Not determined.
· <u>Vapour pressure:</u>	Not determined.
· <u>Density and/or relative density</u>	
· <u>Density at 20 °C:</u>	1.61 g/cm ³
· <u>Relative density</u>	Not determined.
· <u>Vapour density</u>	Not determined.

· 9.2 Other information

· <u>Appearance:</u>	
· <u>Form:</u>	Pasty
· <u>Important information on protection of health and environment, and on safety.</u>	
· <u>Ignition temperature:</u>	Product is not selfigniting.
· <u>Explosive properties:</u>	Product does not present an explosion hazard.
· <u>Solvent content:</u>	
· <u>Solids content:</u>	56.0 %
· <u>Change in condition</u>	
· <u>Evaporation rate</u>	Not determined.

· <u>Information with regard to physical hazard classes</u>	
· <u>Explosives</u>	Void
· <u>Flammable gases</u>	Void
· <u>Aerosols</u>	Void
· <u>Oxidising gases</u>	Void
· <u>Gases under pressure</u>	Void
· <u>Flammable liquids</u>	Void
· <u>Flammable solids</u>	Void
· <u>Self-reactive substances and mixtures</u>	
	Void
· <u>Pyrophoric liquids</u>	Void
· <u>Pyrophoric solids</u>	Void
· <u>Self-heating substances and mixtures</u>	
	Void
· <u>Substances and mixtures, which emit flammable gases in contact with water</u>	
	Void
· <u>Oxidising liquids</u>	Void
· <u>Oxidising solids</u>	Void
· <u>Organic peroxides</u>	Void
· <u>Corrosive to metals</u>	Void

(Contd. on page 8)

EU

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 7)

· Desensitised explosives Void**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- Thermal decomposition /
conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous**
reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition**
products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:**ATE (Acute Toxicity Estimates)**

Oral	LD50	157,606 mg/kg (rat)
------	------	---------------------

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Oral	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.1.)
Dermal	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.3.)
Inhalative	LC50/4h	>4,224 mg/m3 (rat) (OECD-Prüfrichtlinie 403)

168253-59-6 Asparaginsäure, N,N'-(2-methyl-1,5-pentadiyl)bis-, 1,1',4,4'-tetraethylester

Oral	LD50	>2,000 mg/kg (rat) (OECD423)
	NOEL	200 mg/kg (rat)

623-91-6 diethyl fumarate

Oral	LD50	1,780 mg/kg (rat)
------	------	-------------------

104810-47-1 poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Oral	LD50	3,230 mg/kg (rat)
Dermal	LD50	>3,170 mg/kg (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Komponente A

(Contd. of page 8)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information**· 12.1 Toxicity**

· Aquatic toxicity:

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

EC50	3,110 mg/l (BES) (ISO Vorschrift 8192-1986 E)
IC50/72h	113 mg/l (Scenedesmus subspicatus) (Richtlinie 67/548/EWG, Anhang V, C.3.)
EC50/48h	88.6 mg/l (daphnia magna) (UBA-Verfahrensvorschlag Mai 1984)
ErC50/72h	113 mg/l (Scenedesmus subspicatus)
NOEC	100 mg/kg (Ac) (OECD 208) 100 mg/kg (As) (OECD 208) 100 mg/kg (Bn) (OECD 208) ≥1,000 mg/kg (Eisenia fetida (Regenwürmer)) (OECD-Prüfrichtlinie 207)
NOEC/21d	0.01 mg/l (daphnia magna) (Richtlinie 67/548/EWG, Anhang V, C.20.)
LC50/96h	66 mg/l (Danio rerio.) (OECD 203)

168253-59-6 Asparaginsäure, N,N'-(2-methyl-1,5-pentadiyl)bis-, 1,1',4,4'-tetraethylester

EC50	>10,000 mg/l (BES)
LC 0/96h	>87 mg/l (Danio rerio.)
ErC50/72h	<84.2 mg/l (Scenedesmus subspicatus)
EC0	>96.9 mg/l (daphnia magna)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

EC50	>1,000 mg/l (BES) (OECD 209)
EC50/48h	4 mg/l (daphnia magna)
LC 0	>1,000 mg/l (Eisenia fetida (Regenwürmer))
NOEC	100 mg/kg (Eisenia fetida (Regenwürmer))
NOEC/21d	0.78 mg/l (daphnia magna) (OECD 202)
EC10	10 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC50/72h	>100 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
LC50/96h	2.8 mg/l (Oncorhynchus mykiss) (OECD 203; ISO 7346; 84/449/EWG, C.1)

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

EC50/24h	20 mg/l (daphnia magna)
EC20/3h	≥100 mg/l (BES)
LL0/96h	0.9 mg/l (Zebrabärbling)
NOEC/21d	1 mg/l (daphnia magna)
EC50/72h	1.68 mg/l (Desmodesmus subspicatus)
LC50/96h	0.9 mg/l (Brachydanio rerio) 7.9 mg/l (Oncorhynchus mykiss)

· 12.2 Persistence and degradability

Not easily biodegradable

· 12.3 Bioaccumulative potential

Non significant accumulation in organisms

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 9)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** Harmful to aquatic organisms
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|---|--|
| 14.1 UN number or ID number | Void |
| · ADR, ADN, IMDG, IATA | |
| 14.2 UN proper shipping name | Void |
| · ADR, ADN, IMDG, IATA | |
| 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 10)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 0.0 g/l

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Laboratory

· Date of previous version: 11.11.2022

· Version number of previous version:

5

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 12)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.05.2023

Version number 6 (replaces version 5)

Revision: 08.05.2023

Trade name: Everclear 300, Componente A

(Contd. of page 11)

Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU