

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Everclear 510 1:1 Komponente B**

Article number: 11476, 11452_B, 11483

UFI: VD40-Y0Y9-X00K-J26E

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Hardening agent/ Curing agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg

Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

Further information obtainable from:

Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

Signal word

Warning

Hazard-determining components of labelling:

Hexamethylen-1,6-diisocyanat Homopolymer
Aliphatisches Polyisocyanat
tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate
Hexamethylene-1,6-diisocyanate homopolymer
4-isocyanatosulphonyltoluene
hexamethylene-di-isocyanate
diethyl fumarate

Hazard statements

H332 Harmful if inhaled.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 1)

P103	Read carefully and follow all instructions.
P261	Avoid breathing vapours.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· Determination of endocrine-disrupting properties

For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

· Description:

Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 28182-81-2 EC number: 931-297-3 Reg.nr.: 01-2119488934-20-0000 01-2119485796-17	Hexamethylen-1,6-diisocyanat Homopolymer Aliphatisches Polyisocyanat Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335	50-100%
CAS: 136210-30-5 ELINCS: 429-270-1 Index number: 607-521-00-8 Reg.nr.: 01-0000017556-64-0000	tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Skin Sens. 1, H317 Aquatic Chronic 3, H412	<12.5%
CAS: 28182-81-2 EC number: 931-274-8 Reg.nr.: 01-2119485796-17-0000	Hexamethylene-1,6-diisocyanate homopolymer Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335 EUH204	1-5%
CAS: 82985-35-1 EINECS: 280-084-5 Reg.nr.: 01-2119969956-12-xxxx	Bis(trimethoxysilylpropyl)amin Eye Dam. 1, H318	1-5%
CAS: 4083-64-1 EINECS: 223-810-8 Index number: 615-012-00-7 Reg.nr.: 01-2119980050-47	4-isocyanatosulphonyltoluene Resp. Sens. 1, H334 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 EUH014, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	<1%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 2)

CAS: 623-91-6 EINECS: 210-819-7	diethyl fumarate Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	<1%
CAS: 822-06-0 EINECS: 212-485-8 Index number: 615-011-00-1 Reg.nr.: 01-2119457571-37-0001	hexamethylene-di-isocyanate Acute Tox. 3, H311; Acute Tox. 1, H330 Resp. Sens. 1, H334 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 EUH204 Specific concentration limits: Resp. Sens. 1; H334: C ≥ 0.5 % Skin Sens. 1; H317: C ≥ 0.5 %	<1%

SECTION 4: First aid measures**4.1 Description of first aid measures**

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:
Carbon monoxide (CO)
Nitrogen oxides (NO_x)
Hydrogen cyanide (HCN)

5.3 Advice for firefighters

- Protective equipment: Wear self-contained respiratory protective device.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 3)

- Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
 - **6.4 Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
Store receptacle in a well ventilated area.
Protect from frost.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection· **8.1 Control parameters**

-
- Ingredients with limit values that require monitoring at the workplace:**

28182-81-2 Hexamethylene-1,6-diisocyanate homopolymerTLV Short-term value: 1 mg/m³**822-06-0 hexamethylene-di-isocyanate**TLV Short-term value: 0.15 mg/m³, 0.02 ppm
Long-term value: 0.075 mg/m³, 0.01 ppm· **DNELs****28182-81-2 Hexamethylen-1,6-diisocyanat Homopolymer**
Aliphatisches Polyisocyanat

Inhalative	DNEL (Kurzzeit-akut)	1 mg/m ³ Air (ARB)
	DNEL (Langzeit-wiederholt)	0.5 mg/m ³ Air (ARB)

136210-30-5 tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Oral	DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)
Dermal	DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	4 mg/kg bw/day (ARB)

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 4)

Inhalative	DNEL (Kurzzeit-akut)	1.4 mg/kg bw/day (BEV) 112 mg/m ³ Air (ARB) 4.8 mg/m ³ Air (BEV)
	DNEL (Langzeit-wiederholt)	28 mg/m ³ Air (ARB) 4.8 mg/m ³ Air (BEV)
28182-81-2 Hexamethylene-1,6-diisocyanate homopolymer		
Inhalative	DNEL (Kurzzeit-akut)	1 mg/m ³ Air (ARB)
	DNEL (Langzeit-wiederholt)	0.5 mg/m ³ Air (ARB)
82985-35-1 Bis(trimethoxysilylpropyl)amin		
Oral	DNEL (Langzeit-wiederholt)	1.67 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	4.67 mg/kg bw/day (ARB)
Inhalative	DNEL (Kurzzeit-akut)	1.67 mg/kg bw/day (BEV) 260 mg/m ³ Air (ARB) 50 mg/m ³ Air (BEV)
	DNEL (Langzeit-wiederholt)	260 mg/m ³ Air (ARB) 50 mg/m ³ Air (BEV)
822-06-0 hexamethylene-di-isocyanate		
Inhalative	DNEL (Kurzzeit-akut)	0.07 mg/m ³ Air (ARB)
	DNEL (Langzeit-wiederholt)	0.035 mg/m ³ Air (ARB)
· PNECs		
28182-81-2 Hexamethylen-1,6-diisocyanat Homopolymer Aliphatisches Polyisocyanat		
PNEC (wässrig)		100 mg/l (KA) 0.0127 mg/l (MW) 0.127 mg/l (SW) 1.27 mg/l (WAS)
PNEC (fest)		505 mg/kg Trockengew (BO) 253 mg/kg Trockengew (MWS) 2,530 mg/kg Trockengew (SWS)
136210-30-5 tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate		
PNEC (wässrig)		31.1 mg/l (KA) 0.000013 mg/l (MW) 0.00013 mg/l (SW)
PNEC (fest)		0.1 mg/kg Trockengew (BO) 0.02 mg/kg Trockengew (MWS) 0.21 mg/kg Trockengew (SWS)
28182-81-2 Hexamethylene-1,6-diisocyanate homopolymer		
PNEC (wässrig)		38.28 mg/l (KA) 0.0127 mg/l (MW) 0.127 mg/l (SW) 1.27 mg/l (WAS)
PNEC (fest)		53,200 mg/kg Trockengew (BO) 26,670 mg/kg Trockengew (MWS) 266,700 mg/kg Trockengew (SWS)

(Contd. on page 6)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 5)

82985-35-1 Bis(trimethoxysilylpropyl)amin

PNEC (wässrig)	22 mg/l (KA)
	0.004 mg/l (MW) 0.036 mg/l (SW) 2 mg/l (WAS)
PNEC (fest)	0.007 mg/kg Trockengew (BO)
	0.014 mg/kg Trockengew (MWS)
	0.14 mg/kg Trockengew (SWS)

822-06-0 hexamethylene-di-isocyanate

PNEC (wässrig)	8.42 mg/l (KA)
	>0.00774 mg/l (MW)
	>0.0774 mg/l (SW)
	0.774 mg/l (WAS)
PNEC (fest)	0.0026 mg/kg Trockengew (BO)
	0.001334 mg/kg Trockengew (MWS)
	0.01334 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A/P2

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type.

The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31


Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 6)

<ul style="list-style-type: none"> · <u>Material of gloves</u> · <u>Penetration time of glove material</u> · <u>Eye/face protection</u> · <u>Body protection:</u> 	<p>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton)</p> <p>The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.</p> <div style="text-align: center;">  </div> <p>Tightly sealed goggles</p> <p>Protective work clothing</p>
---	--

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

· <u>General Information</u>	
· <u>Colour:</u>	Colourless
· <u>Odour:</u>	Odourless
· <u>Odour threshold:</u>	Not determined.
· <u>Melting point/freezing point:</u>	Undetermined.
· <u>Boiling point or initial boiling point and boiling range</u>	Undetermined.
· <u>Flammability</u>	Not applicable.
· <u>Lower and upper explosion limit</u>	
· <u>Lower:</u>	Not determined.
· <u>Upper:</u>	Not determined.
· <u>Flash point:</u>	>160 °C
· <u>Decomposition temperature:</u>	Not determined.
· <u>pH</u>	Not determined.
· <u>Viscosity:</u>	
· <u>Kinematic viscosity</u>	Not determined.
· <u>Dynamic:</u>	Not determined.
· <u>Solubility</u>	
· <u>water:</u>	Not miscible or difficult to mix.
· <u>Partition coefficient n-octanol/water (log value)</u>	Not determined.
· <u>Vapour pressure:</u>	Not determined.
· <u>Density and/or relative density</u>	
· <u>Density at 20 °C:</u>	1.16 g/cm ³
· <u>Relative density</u>	Not determined.
· <u>Vapour density</u>	Not determined.

9.2 Other information

· <u>Appearance:</u>	No further relevant information available.
· <u>Form:</u>	Fluid
· <u>Important information on protection of health and environment, and on safety.</u>	
· <u>Ignition temperature:</u>	Not determined.
· <u>Explosive properties:</u>	Product does not present an explosion hazard.
· <u>Solvent content:</u>	
· <u>Organic solvents:</u>	0.0 %
· <u>Solids content:</u>	3.1 %
· <u>Change in condition</u>	
· <u>Evaporation rate</u>	Not determined.

Information with regard to physical hazard classes

· <u>Explosives</u>	Void
· <u>Flammable gases</u>	Void
· <u>Aerosols</u>	Void

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 7)

· <u>Oxidising gases</u>	Void
· <u>Gases under pressure</u>	Void
· <u>Flammable liquids</u>	Void
· <u>Flammable solids</u>	Void
· <u>Self-reactive substances and mixtures</u>	Void
· <u>Pyrophoric liquids</u>	Void
· <u>Pyrophoric solids</u>	Void
· <u>Self-heating substances and mixtures</u>	Void
· <u>Substances and mixtures, which emit flammable gases in contact with water</u>	Void
· <u>Oxidising liquids</u>	Void
· <u>Oxidising solids</u>	Void
· <u>Organic peroxides</u>	Void
· <u>Corrosive to metals</u>	Void
· <u>Desensitised explosives</u>	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- Acute toxicity Harmful if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative	LC50/4 h	0.465-0.468 mg/l (rat)
------------	----------	------------------------

28182-81-2 Hexamethylen-1,6-diisocyanat Homopolymer
Aliphatisches Polyisocyanat

Oral	LD50	>2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	>2,000 mg/kg (rabbit)
		>2,000 mg/kg (rat) (OECD 402)
Inhalative	LC50/4 h	0.39 mg/l (rat) (OECD 403)
	NOAEL	3.3 mg/m ³ (rat)

136210-30-5 tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Oral	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.1.)
Dermal	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.3.)
Inhalative	LC50/4h	>4,224 mg/m ³ (rat) (OECD-Prüfrichtlinie 403)

28182-81-2 Hexamethylene-1,6-diisocyanate homopolymer

Oral	LD50	>2,000 mg/kg (rat) (OECD 423)
	NOAEL-Werte	3 mg/kg (rat)

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 8)

Dermal	LD50	>2,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50/4h	>2,000 mg/kg (rat) (OECD 402)
	LC50/4 h	400 mg/m ³ (rat)
		0.39-0.543 mg/l (rat) (OECD TG 403)
82985-35-1 Bis(trimethoxysilylpropyl)amin		
Oral	LD50	3,780 mg/kg (rat) (OECD 401)
	NOEL	200 mg/kg (rat) (OECD 408)
Dermal	LD50	11,865 mg/kg (rabbit) (OECD 402)
		11,752 mg/kg (rat)
	NOEL	>84 mg/kg (rat) (OECD 410)
4083-64-1 4-isocyanatosulphonyltoluene		
Oral	LD50	2,600 mg/kg (rat)
623-91-6 diethyl fumarate		
Oral	LD50	1,780 mg/kg (rat)
822-06-0 hexamethylene-di-isocyanate		
Oral	LD50	746 mg/kg (rat) (OECD 401)
Dermal	LD50	593 mg/kg (rabbit)
		<7,000 mg/kg (rat) (OECD 402)
Inhalative	LC50/4 h	0.124 mg/l (rat) (OECD 403)
	NOAEL	0.41 mg/m ³ (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information· **12.1 Toxicity**

- Aquatic toxicity:

28182-81-2 Hexamethylen-1,6-diisocyanat Homopolymer
Aliphatisches Polyisocyanat

EC50	>10,000 mg/l (BES) (EG-RL 88/302/EEC)
IC50/72h	72 mg/l (Desmodesmus subspicatus)
LC 0/96h	>100 mg/l (Brachydanio rerio)
EC50/48h	>100 mg/l (daphnia magna)
EL50/48h	127 mg/l (daphnia magna) (67/548/EWG, Anhang V, C.2)
EC20/3h	880 mg/l (BES)
EC50/72h	199 mg/l (Scenedesmus subspicatus)
LC50/96h	35.2 mg/l (Cyprinus carpio) (67/548/EWG, Anhang V, C.3)

(Contd. on page 10)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 9)

	>100 mg/l (Danio rerio.) (67/548/EWG, Anhang V, C.1)
136210-30-5 tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate	
EC50	3,110 mg/l (BES) (ISO Vorschrift 8192-1986 E)
IC50/72h	113 mg/l (Scenedesmus subspicatus) (Richtlinie 67/548/EWG, Anhang V, C.3.)
EC50/48h	88.6 mg/l (daphnia magna) (UBA-Verfahrensvorschlag Mai 1984)
ErC50/72h	113 mg/l (Scenedesmus subspicatus)
NOEC	100 mg/kg (Ac) (OECD 208)
	100 mg/kg (As) (OECD 208)
	100 mg/kg (Bn) (OECD 208)
	≥1,000 mg/kg (Eisenia fetida (Regenwürmer)) (OECD-Prüfrichtlinie 207)
NOEC/21d	0.01 mg/l (daphnia magna) (Richtlinie 67/548/EWG, Anhang V, C.20.)
LC50/96h	66 mg/l (Danio rerio.) (OECD 203)
28182-81-2 Hexamethylene-1,6-diisocyanate homopolymer	
EC50	3,828 mg/l (BES) (OECD 209)
LC 0/96h	>82.8 mg/l (Brachydanio rerio) (OECD 203)
EC50/48h	127 mg/l (daphnia magna) (RL 67/548/EWG, Anhang V, C.3.)
ErC50/72h	>1,000 mg/l (Desmodesmus subspicatus) (DIN 38412)
EC0	>100 mg/l (daphnia magna) (OECD 202)
EL50/48h	127 mg/l (daphnia magna)
LL50/96h	8.9 mg/l (Brachydanio rerio)
EC10	370 mg/l (Desmodesmus subspicatus)
EC50/72h	199 mg/l (Scenedesmus subspicatus) (OECD 201)
LC50/96h	>100 mg/l (Danio rerio.) (RL 67/548/EWG, Anhang V, C.1.)
82985-35-1 Bis(trimethoxysilylpropyl)amin	
EC50	1,000 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)
EC50/48h	>100 mg/l (daphnia magna)
EC50/72h	>100 mg/l (Desmodesmus subspicatus)
LC50/96h	130 mg/l (Oncorhynchus mykiss)
	130 mg/l (salmon)
4083-64-1 4-isocyanatosulphonyltoluene	
EC50/72h	23 mg/l (algae)
	150 mg/l (daphnia magna)
LC50/96h	435 mg/l (piscis)
822-06-0 hexamethylene-di-isocyanate	
EC50	842 mg/l (bacteria) (OECD 209)
LC 0/96h	82.8 mg/l (Brachydanio rerio) (OECD TG 203)
ErC50/72h	>77.4 mg/l (Desmodesmus subspicatus) (EU C.3)
EC0	>89.1 mg/l (daphnia magna) (OECD TG 202)
NOEC	11.7 mg/kg (Desmodesmus subspicatus) (EU C.3)
EC50/72h	>77.4 mg/l (Scenedesmus subspicatus) (OECD TG 201)
LC50/96h	22 mg/l (Brachydanio rerio)

· **12.2 Persistence and degradability**

· **Other information:**

· **12.3 Bioaccumulative potential**

· **12.4 Mobility in soil**

No further relevant information available.

The product is not easily biodegradable.

No further relevant information available.

No further relevant information available.

(Contd. on page 11)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 10)

· **12.5 Results of PBT and vPvB assessment**

· PBT: Not applicable.
 · vPvB: Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

No further relevant information available.

· Remark:

Harmful to fish

· Additional ecological information:

· General notes:

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· ADR, ADN, IMDG, IATA

Void

· **14.2 UN proper shipping name**

· ADR, ADN, IMDG, IATA

Void

· **14.3 Transport hazard class(es)**

· ADR, ADN, IMDG, IATA

· Class

Void

· **14.4 Packing group**

· ADR, IMDG, IATA

Void

· **14.5 Environmental hazards:**

· Marine pollutant:

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I

None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3, 74

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 11)

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 0.1 g/l

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Department issuing SDS: Laboratory

· Date of previous version: 16.12.2022

· Version number of previous version: 7

· Abbreviations and acronyms:
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 1: Acute toxicity – Category 1
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 13)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 27.05.2024

Version number 8 (replaces version 7)

Revision: 27.05.2024

Trade name: Everclear 510 1:1 Komponente B

(Contd. of page 12)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· International Product Registration
Status

New Zealand (TSA)

EU