

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Trade name: **SOLID WAX**
- Article number: 11900, 11905, 11907, 11908
- UFI: M4E2-10QE-A00C-NCCK

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Maintenance product

#### 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH  
Lechstrasse 28  
D 90451 Nürnberg
- Tel. +49(0)911-642960  
Fax. +49(0)911-644456  
e-mail info@akemi.de

#### Further information obtainable from:

Laboratory

#### 1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH  
Tel. +49(0)911-64296-59  
Reachable during the following office hours:  
Monday – Thursday from 07:30 a.m. to 16:30 p.m.  
Friday from 07:30 a.m. to 13:30 p.m.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Carc. 2 H351 Suspected of causing cancer.
- STOT SE 3 H336 May cause drowsiness or dizziness.
- Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07 GHS08 GHS09

#### Signal word

Warning

#### Hazard-determining components of labelling:

tetrachloroethylene  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H351 Suspected of causing cancer.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

#### Hazard statements

#### Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.

(Contd. on page 2)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 1)

P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties

For information on endocrine disrupting properties see section 11.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 127-18-4	tetrachloroethylene	50-100%
EINECS: 204-825-9	Carc. 2, H351	
Index number: 602-028-00-4	Aquatic Chronic 2, H411	
Reg.nr.: 01-2119475329-28	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H336	

Additional information: For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

General information:	Immediately remove any clothing soiled by the product.
After inhalation:	Supply fresh air; consult doctor in case of complaints.
After skin contact:	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
After eye contact:	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:	Call a doctor immediately. Induce vomiting only, if affected person is fully conscious.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**Suitable extinguishing agents: CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 2)

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· Protective equipment:

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Mount respiratory protective device.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

Protect from heat.

· **7.2 Conditions for safe storage, including any incompatibilities**

· Storage:

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.  
Store in a cool location.

· Information about storage in one common storage facility:

Store away from foodstuffs.

· Further information about storage conditions:

Store receptacle in a well ventilated area.

Store in cool, dry conditions in well sealed receptacles.

· Storage class:

6.1 C

· **7.3 Specific end use(s)**

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· Ingredients with limit values that require monitoring at the workplace:

**127-18-4 tetrachloroethylene**

IOELV	Short-term value: 275 mg/m <sup>3</sup> , 40 ppm
	Long-term value: 138 mg/m <sup>3</sup> , 20 ppm
	Skin

(Contd. on page 4)

EU

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 3)

· DNELs**127-18-4 tetrachloroethylene**

Oral	DNEL (Langzeit-wiederholt)	1.3 mg/kg bw/day (BEV)
Dermal	DNEL ( Langzeit-wiederholt)	39.4 mg/kg bw/day (ARB)
		23 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	275 mg/m³ Air (ARB)
		138 mg/m³ Air (BEV)
	DNEL (Langzeit-wiederholt)	138 mg/m³ Air (ARB)
		34.5 mg/m³ Air (BEV)

· PNECs**127-18-4 tetrachloroethylene**

PNEC (wässrig)	11.2 mg/l (KA)
	0.0051 mg/l (MW)
	0.051 mg/l (SW)
	364 mg/l (WAS)
PNEC (fest)	0.01 mg/kg Trockengew (BO)
	0.0903 mg/kg Trockengew (MWS)
	0.903 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.· **8.2 Exposure controls**

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.

· Respiratory protection:

Short term filter device:  
Filter A/P2  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.  
After use of gloves apply skin-cleaning agents and skin cosmetics.  
Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:  
STOKO EMULSION (<http://www.stoko.com>)  
Skin protection recommendation for skin cleaning after product handling:  
Kresto Classic (<http://debstoko.com>)  
Skin protection agent recommendation for skin aftercare:  
STOKO VITAN (<http://www.stoko.com>)  
The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.  
This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 4)

**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR  
Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

Value for the permeation: Level  $\leq$  480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection**Tightly sealed goggles**

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

· General Information· Colour:

Transparent

· Odour:

Characteristic

· Melting point/freezing point:

-22 °C

· Boiling point or initial boiling point and boiling range

121 °C

· Flash point:

&gt;61 °C

· Auto-ignition temperature:

650 °C

· pH

Not determined.

· Viscosity:· Kinematic viscosity at 20 °C>5,000 mm<sup>2</sup>/s· Dynamic:

Not determined.

· Solubility· water:

Not miscible or difficult to mix.

· Vapour pressure at 20 °C:

25 hPa

· Density and/or relative density· Density at 20 °C:1.2-1.6 g/cm<sup>3</sup>

### · 9.2 Other information

· Appearance:· Form:

Pasty

· Important information on protection of health and environment, and on safety.· Ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Solvent content:· Organic solvents:

82.5 %

· Information with regard to physical hazard classes· Explosives

Void

(Contd. on page 6)

EU

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 5)

· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

**SECTION 10: Stability and reactivity**

· <b>10.1 Reactivity</b>	No further relevant information available.
· <b>10.2 Chemical stability</b>	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· <b>10.3 Possibility of hazardous reactions</b>	Reacts with strong acids and oxidising agents. Reacts with earth alkaline metals.
· <b>10.4 Conditions to avoid</b>	No further relevant information available.
· <b>10.5 Incompatible materials:</b>	strong oxidizing agents bases Acids
· <b>10.6 Hazardous decomposition products:</b>	Hydrogen chloride (HCl) Phosgen Chlorine Chlorine compounds

**SECTION 11: Toxicological information**

· <b>11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008</b>	
· Acute toxicity	Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

**127-18-4 tetrachloroethylene**

Oral	LD50	3,005 mg/kg (rat)
Dermal	LD50	>1,000 mg/kg (rabbit)
Inhalative	LC50/4h	4,000 mg/m3 (rat)

· Primary irritant effect:	
· Skin corrosion/irritation	Causes skin irritation.
· Serious eye damage/irritation	Causes serious eye irritation.
· Respiratory or skin sensitisation	May cause an allergic skin reaction.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Suspected of causing cancer.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
· STOT-single exposure	May cause drowsiness or dizziness.

(Contd. on page 7)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 6)

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties

None of the ingredients is listed.

**SECTION 12: Ecological information**· **12.1 Toxicity**· Aquatic toxicity:**127-18-4 tetrachloroethylene**

EC50/48h	8.5 mg/l (daphnia magna)
NOELR/21d	0.51 mg/l (daphnia magna)
EC50/72h	3.64 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	5 mg/l (Oncorhynchus mykiss)

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**· PBT:

Not applicable.

· vPvB:

Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**· Remark:

Toxic for fish

· Additional ecological information:· General notes:

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even small quantities leak into the ground.

**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:· Recommendation:

Disposal must be made according to official regulations.

**SECTION 14: Transport information**· **14.1 UN number or ID number**· ADR, IMDG, IATA

UN1897

· **14.2 UN proper shipping name**· ADR1897 TETRACHLOROETHYLENE solution,  
ENVIRONMENTALLY HAZARDOUS· IMDG

TETRACHLOROETHYLENE solution, MARINE POLLUTANT

(Contd. on page 8)



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31






Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 7)

· <u>IATA</u>	TETRACHLOROETHYLENE solution
· <b>14.3 Transport hazard class(es)</b>	
· <u>ADR</u>	
 	
· <u>Class</u>	6.1 (T1) Toxic substances.
· <u>Label</u>	6.1
· <u>IMDG</u>	
 	
· <u>Class</u>	6.1 Toxic substances.
· <u>Label</u>	6.1
· <u>IATA</u>	
	
· <u>Class</u>	6.1 Toxic substances.
· <u>Label</u>	6.1
· <b>14.4 Packing group</b>	
· <u>ADR, IMDG, IATA</u>	III
· <b>14.5 Environmental hazards:</b>	Product contains environmentally hazardous substances:
· <u>Marine pollutant:</u>	Yes
· <u>Special marking (ADR):</u>	Symbol (fish and tree) Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	Warning: Toxic substances.
· <u>Hazard identification number (Kemler code):</u>	60
· <u>EMS Number:</u>	F-A,S-A
· <u>Segregation groups</u>	(SGG10) Liquid halogenated hydrocarbons
· <u>Stowage Category</u>	A
· <u>Stowage Code</u>	SW2 Clear of living quarters.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <u>Transport/Additional information:</u>	
· <u>ADR</u>	
· <u>Limited quantities (LQ)</u>	5L
· <u>Excepted quantities (EQ)</u>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>Transport category</u>	2
· <u>Tunnel restriction code</u>	E

(Contd. on page 9)

EU



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 8)

· IMDG	5L
· Limited quantities (LQ)	Code: E1
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1897 TETRACHLOROETHYLENE SOLUTION, 6.1, III, ENVIRONMENTALLY HAZARDOUS

**SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 75

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.

· Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 990-1,320 g/l

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.11.2024

Version number 10 (replaces version 9)

Revision: 26.11.2024

**Trade name: SOLID WAX**

(Contd. of page 9)

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· <u>Department issuing SDS:</u>	Laboratory
· <u>Date of previous version:</u>	23.01.2023
· <u>Version number of previous version:</u>	9
· <u>Abbreviations and acronyms:</u>	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

EU